

Powering  
Your  
Imagination

[www.fluconenterprises.com](http://www.fluconenterprises.com)  
[www.flucon.co.in](http://www.flucon.co.in)



An ISO 9001:2008 Company

Catalogue cum Price List w.e.f. 1st February 2016.



CORPORATE OFFICE



FINISHING DEPARTMENT



MOULDING SHOP



 Is a registered trademark of **Flu-con Components Pvt Ltd.**

All Information in this catalogue is based on latest product information available at the time of approval for printing.  
FLU-CON Components Pvt Ltd reserves the right to make changes any time without notice, without incurring any obligation.  
No part of this catalogue may be reproduced without written permission.

## Company Profile

Flu-con enterprises founded in the year 1972 in the name of “Nylo-plast” by Mr. F.B Pinto who was a pioneer in the field of Industrial polymers, such as nylon at the inception of materials, which were just being introduced in the industry in India. He had started the company on its growth trajectory in terms of dedication and superior quality to each and every product manufactured and sold at **“FLU-CON ENTERPRISES”**.

The same Flu-con enterprises is being run and managed by young professionals who believe and work keeping in mind the values of its founder to take the company to ever greater heights and to fulfill the vision of founder. An ISO 9001-2008 certified organization, also in the process of product certifications for various products in conformation to industrial standards. **FLU-CON ENTERPRISES** is now known as **“ FLU-CON Components Pvt Ltd.”**

### Products :

**FLU-CON Components Pvt Ltd** is involved in the manufacture and delivery of effective engineering products mainly for electrical & switchgear, measuring and control panel industry, machineries and equipment manufacturers.

### Strength :

Flu-con Components Pvt Ltd is well equipped to produce articles and components in the range of 5gms to 1200gms with a varied range of quality machinery from L&T Chennai to chen-de China. The organization is well equipped with inhouse tool & die machine shop maintained and operated by qualified personals committed to quality.

### Quality policy:

**Flu-con Components Pvt Ltd** strive to provide quality and cost effective components that are matching up to internationally acknowledged norms and quicker turnaround time so as to make the products cost effective. The consistency in product quality through standardized work practice and appropriate investment in technology are maintained.

**On going improvement in quality at all levels and customer satisfaction is the motto of Flu-con Components Pvt Ltd.**

### Coverage :

**Flu-con Components Pvt Ltd** is catering to domestic market with sound dealer network in all states of India and also to the international market catering to countries in Europe, UAE where stringent environment rules are in force such as “ROHS” and “REACH” and also to South East Asian market, Latin America, North America and Africa.





## Tags & Security seals.



Universal Tag- Size- 65x25mm  
List Price: Nylon- Rs. 253.00 per 100 pcs.  
PP - Rs. 168.00 per 100 pcs



Tag-Tie - 100x2.5 - Rs.124.00 Per 100 Pieces.



## Security Seals in Nylon

| Product code | List Price<br>Natural/Black<br>Colour<br>Per Pieces | Tie Size |         | Lable<br>Printable<br>Embossing<br>Area |         |
|--------------|-----------------------------------------------------|----------|---------|-----------------------------------------|---------|
|              |                                                     | L<br>mm  | W<br>mm | L<br>mm                                 | W<br>mm |
| FCSS-200x4.5 | 450.00                                              | 200      | 4.5     | 15                                      | 5       |
| FCSS-200x6.9 | 460.00                                              | 200      | 6.9     | 20                                      | 10      |
| FCSS-300x7.4 | 600.00                                              | 275      | 7.4     | 25                                      | 15      |
| FCSS-350x6.9 | 650.00                                              | 300      | 6.9     | 18                                      | 10      |
| FCSS-350x7.0 | 1100.00                                             | 350      | 7.0     | 40                                      | 18      |



## SELF LOCKING NYLON CABLE FASTENERS

Material: **Nylon 6.6 UL Certified 94V-2**

Operating Temperature: **Static: -10°C to 120°C.**

Colors : **Natural, Black, Blue, Red, Grey, Customized Colors.**

Manufactured & Tested as per international standard

**“ BS EN 62275 FOR CABLE MANAGEMENT SYSTEM ”**

**Prices for UV weather proof cable ties will be 25% additional.**

**Prices for colored cable ties will be 15% additional.**


| PRODUCT CODE  | LIST PRICE<br>NATURAL &<br>BLACK COLOR | L   |      | Bundle Dia. |      | Min. Loop Tensile Strength |     |        | Packing Per Packet | Min. Packing Per Carton Pkt |
|---------------|----------------------------------------|-----|------|-------------|------|----------------------------|-----|--------|--------------------|-----------------------------|
|               |                                        | IN  | MM   | Min.        | Max. | lbs                        | Kgs | Newton |                    |                             |
| FCCT-100x1.8  | 22.00                                  | 4   | 100  | 3           | 24   | 18                         | 8   | 78.45  | 100                | 650                         |
| FCCT-65x2.0   | 21.00                                  | 2.5 | 65   | 3           | 10   | 18                         | 8   | 78.45  | 100                | 1000                        |
| FCCT-80x2.0   | 24.00                                  | 3.2 | 80   | 3           | 18   | 18                         | 8   | 78.45  | 100                | 800                         |
| FCCT-100x2.0  | 26.00                                  | 4   | 100  | 3           | 24   | 18                         | 8   | 78.45  | 100                | 650                         |
| FCCT-100x2.5  | 30.00                                  | 4   | 100  | 5           | 24   | 22                         | 10  | 98.07  | 100                | 600                         |
| FCCT-150x2.5  | 42.00                                  | 6   | 150  | 5           | 35   | 22                         | 10  | 98.07  | 100                | 350                         |
| FCCT-200x2.5  | 53.00                                  | 8   | 200  | 5           | 50   | 22                         | 10  | 98.07  | 100                | 200                         |
| FCCT-150x3.2  | 46.00                                  | 6   | 150  | 5           | 35   | 26                         | 12  | 117.68 | 100                | 250                         |
| FCCT-200x3.2  | 60.00                                  | 8   | 200  | 5           | 50   | 26                         | 12  | 117.68 | 100                | 200                         |
| FCCT-250x3.2  | 105.00                                 | 10  | 250  | 5           | 65   | 26                         | 12  | 117.68 | 100                | 170                         |
| FCCT-300x3.2  | 120.00                                 | 12  | 300  | 5           | 75   | 26                         | 12  | 117.68 | 100                | 140                         |
| FCCT-150x3.6  | 64.00                                  | 6   | 150  | 5           | 35   | 44                         | 18  | 176.52 | 100                | 250                         |
| FCCT-200x3.6  | 92.00                                  | 8   | 200  | 5           | 50   | 44                         | 18  | 176.52 | 100                | 200                         |
| FCCT-250x3.6  | 118.00                                 | 10  | 250  | 5           | 65   | 44                         | 18  | 176.52 | 100                | 170                         |
| FCCT-300x3.6  | 135.00                                 | 12  | 300  | 5           | 75   | 44                         | 18  | 176.52 | 100                | 140                         |
| FCCT-200x4.8  | 125.00                                 | 8   | 200  | 5           | 50   | 50                         | 23  | 225.55 | 100                | 150                         |
| FCCT-250x4.8  | 155.00                                 | 10  | 250  | 5           | 65   | 50                         | 23  | 225.55 | 100                | 150                         |
| FCCT-300x4.8  | 200.00                                 | 12  | 300  | 5           | 75   | 50                         | 23  | 225.55 | 100                | 120                         |
| FCCT-350x4.8  | 230.00                                 | 14  | 350  | 5           | 85   | 50                         | 23  | 225.55 | 100                | 100                         |
| FCCT-368x4.8  | 250.00                                 | 15  | 368  | 5           | 100  | 50                         | 23  | 225.55 | 100                | 100                         |
| FCCT-400x4.8  | 280.00                                 | 16  | 400  | 5           | 110  | 50                         | 23  | 225.55 | 100                | 100                         |
| FCCT-450x4.8  | 320.00                                 | 18  | 450  | 5           | 130  | 50                         | 23  | 225.55 | 100                | 90                          |
| FCCT-550x4.8  | 360.00                                 | 22  | 550  | 5           | 160  | 50                         | 23  | 225.55 | 100                | 70                          |
| FCCT-200x7.6  | 250.00                                 | 8   | 200  | 6           | 50   | 75                         | 35  | 343.23 | 100                | 80                          |
| FCCT-300x7.6  | 320.00                                 | 12  | 300  | 6           | 75   | 75                         | 35  | 343.23 | 100                | 80                          |
| FCCT-380x7.6  | 460.00                                 | 15  | 380  | 6           | 102  | 75                         | 35  | 343.23 | 100                | 70                          |
| FCCT-450x7.6  | 550.00                                 | 18  | 450  | 6           | 130  | 75                         | 35  | 343.23 | 100                | 60                          |
| FCCT-500x7.9  | 800.00                                 | 20  | 500  | 6           | 150  | 75                         | 35  | 343.23 | 100                | 35                          |
| FCCT-550x7.9  | 900.00                                 | 22  | 550  | 6           | 160  | 75                         | 35  | 343.23 | 100                | 35                          |
| FCCT-650x9.0  | 1100.00                                | 26  | 650  | 6           | 180  | 90                         | 60  | 588.40 | 100                | 30                          |
| FCCT-750x9.0  | 1400.00                                | 30  | 750  | 6           | 185  | 90                         | 60  | 588.40 | 100                | 10                          |
| FCCT-920x9.0  | 1800.00                                | 36  | 920  | 6           | 270  | 90                         | 60  | 588.40 | 100                | 10                          |
| FCCT-1220x9.0 | 2700.00                                | 48  | 1220 | 6           | 305  | 90                         | 60  | 588.40 | 100                | 10                          |

### RELEASEABLE CABLE FASTENERS

|              |        |    |     |   |    |    |    |        |     |     |
|--------------|--------|----|-----|---|----|----|----|--------|-----|-----|
| FCCT-150x3.6 | 100.00 | 6  | 150 | 2 | 35 | 44 | 18 | 176.52 | 100 | 250 |
| FCCT-200x4.8 | 180.00 | 8  | 200 | 3 | 50 | 50 | 23 | 225.55 | 100 | 150 |
| FCCT-250x4.8 | 250.00 | 10 | 250 | 3 | 65 | 50 | 23 | 225.55 | 100 | 150 |
| FCCT-200x7.4 | 300.00 | 8  | 300 | 3 | 50 | 75 | 35 | 343.23 | 100 | 150 |
| FCCT-200x3.8 | 300.00 | 8  | 200 | 3 | 50 | 44 | 18 | 176.52 | 100 | 250 |



**Mains Code Tie : FCMCT-01 Rs. 350 Per 100 Pcs.**





#### STAINLESS STEEL CABLE TIES (UN COATED)

Ball - Self Locking

Operating Temperature : - 80°C to 538°C

Tensile Strength : 45 Kg.

| Sr No. | Product Code    | Dimensions LxWxT (MM) | MRP Per 100 Pcs. |
|--------|-----------------|-----------------------|------------------|
| 1.     | FCSSUC-100x4.6  | 100x4.6x0.25          | 1700.00          |
| 2.     | FCSSUC-150x4.6  | 150x4.6x0.25          | 1900.00          |
| 3.     | FCSSUC-200x4.6  | 200x4.6x0.25          | 2200.00          |
| 4.     | FCSSUC-250x4.6  | 250x4.6x0.25          | 2400.00          |
| 5.     | FCSSUC-300x4.6  | 300x4.6x0.25          | 2500.00          |
| 6.     | FCSSUC-360x4.6  | 360x4.6x0.25          | 2700.00          |
| 7.     | FCSSUC-450x4.6  | 450x4.6x0.25          | 3100.00          |
| 8.     | FCSSUC-520x4.6  | 520x4.6x0.25          | 3500.00          |
| 9.     | FCSSUC-680x4.6  | 680x4.6x0.25          | 4900.00          |
| 10.    | FCSSUC-840x4.6  | 840x4.6x0.25          | 5300.00          |
| 11.    | FCSSUC-1000x4.6 | 1000x4.6x0.25         | 6100.00          |
| 12.    | FCSSUC-1500x4.6 | 1500x4.6x0.25         | 10000.00         |



#### STAINLESS STEEL CABLE TIES (UN COATED)

Ball - Self Locking

Operating Temperature : - 80°C to 538°C

Tensile Strength : 105 Kg.

| Sr No. | Product Code    | Dimensions LxWxT (MM) | MRP Per 100 Pcs. |
|--------|-----------------|-----------------------|------------------|
| 1.     | FCSSUC-100x7.9  | 100x7.9x0.25          | 3200.00          |
| 2.     | FCSSUC-150x7.9  | 150x7.9x0.25          | 3500.00          |
| 3.     | FCSSUC-200x7.9  | 200x7.9x0.25          | 3500.00          |
| 4.     | FCSSUC-250x7.9  | 250x7.9x0.25          | 3800.00          |
| 5.     | FCSSUC-300x7.9  | 300x7.9x0.25          | 4000.00          |
| 6.     | FCSSUC-360x7.9  | 360x7.9x0.25          | 4300.00          |
| 7.     | FCSSUC-450x7.9  | 450x7.9x0.25          | 4900.00          |
| 8.     | FCSSUC-520x7.9  | 520x7.9x0.25          | 5600.00          |
| 9.     | FCSSUC-680x7.9  | 680x7.9x0.25          | 6500.00          |
| 10.    | FCSSUC-840x7.9  | 840x7.9x0.25          | 7100.00          |
| 11.    | FCSSUC-1000x7.9 | 1000x7.9x0.25         | 8400.00          |
| 12.    | FCSSUC-1500x7.9 | 1000x7.9x0.25         | 13000.00         |

#### STAINLESS STEEL CABLE TIES (PVC COATED)

Ball - Self Locking

Operating Temperature :- 80°C to 150°C

Tensile Strength : 45 Kg.

| Sr No. | Product Code    | Dimensions LxWxT (MM) | MRP Per 100 Pcs. |
|--------|-----------------|-----------------------|------------------|
| 1.     | FCSSPC-100x4.6  | 100x4.6x0.25          | 2300.00          |
| 2.     | FCSSPC-150x4.6  | 150x4.6x0.25          | 2800.00          |
| 3.     | FCSSPC-200x4.6  | 200x4.6x0.25          | 3300.00          |
| 4.     | FCSSPC-250x4.6  | 250x4.6x0.25          | 3700.00          |
| 5.     | FCSSPC-300x4.6  | 300x4.6x0.25          | 3900.00          |
| 6.     | FCSSPC-360x4.6  | 360x4.6x0.25          | 4300.00          |
| 7.     | FCSSPC-450x4.6  | 450x4.6x0.25          | 5100.00          |
| 8.     | FCSSPC-520x4.6  | 520x4.6x0.25          | 5900.00          |
| 9.     | FCSSPC-680x4.6  | 680x4.6x0.25          | 7600.00          |
| 10.    | FCSSPC-840x4.6  | 840x4.6x0.25          | 9900.00          |
| 11.    | FCSSPC-1000x4.6 | 1000x4.6x0.25         | 11000.00         |
| 12.    | FCSSPC-1500x4.6 | 1500x4.6x0.25         | 17500.00         |

#### STAINLESS STEEL CABLE TIES (PVC COATED)

Ball - Self Locking

Operating Temperature :- 80°C to 150°C

Tensile Strength : 105 Kg.

| Sr No. | Product Code    | Dimensions LxWxT (MM) | MRP Per 100 Pcs. |
|--------|-----------------|-----------------------|------------------|
| 1.     | FCSSPC-100x7.9  | 100x7.9x0.25          | 3700.00          |
| 2.     | FCSSPC-150x7.9  | 150x7.9x0.25          | 4200.00          |
| 3.     | FCSSPC-200x7.9  | 200x7.9x0.25          | 4800.00          |
| 4.     | FCSSPC-250x7.9  | 250x7.9x0.25          | 5500.00          |
| 5.     | FCSSPC-300x7.9  | 300x7.9x0.25          | 6100.00          |
| 6.     | FCSSPC-360x7.9  | 360x7.9x0.25          | 6800.00          |
| 7.     | FCSSPC-450x7.9  | 450x7.9x0.25          | 7500.00          |
| 8.     | FCSSPC-520x7.9  | 520x7.9x0.25          | 8700.00          |
| 9.     | FCSSPC-680x7.9  | 680x7.9x0.25          | 11300.00         |
| 10.    | FCSSPC-840x7.9  | 840x7.9x0.25          | 14000.00         |
| 11.    | FCSSPC-1000x7.9 | 1000x7.9x0.25         | 17000.00         |
| 12.    | FCSSPC-1500x7.9 | 1500x7.9x0.25         | 25000.00         |




## Self Adhesive Tie mounts.



| Sr.No. | Part No.  | List Price | Size. |    |
|--------|-----------|------------|-------|----|
|        |           |            | L     | W  |
| 1.     | FCTM -19  | 120.00     | 19    | 19 |
| 2.     | FCTM - 25 | 190.00     | 25    | 25 |
| 3.     | FCTM - 38 | 540.00     | 38    | 38 |
| 4.     | FCTM - 50 | 850.00     | 50    | 50 |

## Screw Mounting tie Support



| Sr.No. | Part No. | List Price | Max.Suitable Tie Width |
|--------|----------|------------|------------------------|
| 1.     | FCSMS-12 | 215.00     | 5 mm                   |
| 2.     | FCSMS-19 | 315.00     | 10 mm                  |


## Self Adhesive Wire Support



| Sr.No. | Part No. | List price | Max.Suitable Wire Dia. |
|--------|----------|------------|------------------------|
| 1.     | FCSWS-01 | 320.00     | 8 mm                   |

## Spiral Wire Bind.

Material : LDPE  
 Operating Temperature : -5°C to 80°C  
 Spiral Wire Bind are Suitable for bunching of loose wire and Cable.




| Product Code | List price per bundle | ID   | OD   | SP   | Bundle Length Mtrs. |
|--------------|-----------------------|------|------|------|---------------------|
| FCSB-04      | 216.00                | 4.0  | 6.0  | 7.0  | 50                  |
| FCSB-06      | 240.00                | 6.0  | 8.0  | 10.8 | 50                  |
| FCSB-09      | 240.00                | 7.5  | 10.0 | 11.4 | 25                  |
| FCSB-12      | 435.00                | 9.0  | 12.0 | 13.9 | 25                  |
| FCSB-15      | 635.00                | 12.0 | 15.0 | 15.0 | 25                  |
| FCSB-19      | 1100.00               | 15.0 | 19.0 | 18.3 | 25                  |
| FCSB-25      | 1400.00               | 20.0 | 24.0 | 19.6 | 25                  |



## Nylon Flexible Cable glands in Metric & PG Standards.

### Technical Specification:

Body : Polyamide 6  
 Sealing : EPDM  
 Temp : Static -30°C to 120°C  
 Dynamic -10°C to 80°C  
 Protection : I.P 65  
 Color : Grey, White & Black  
 Certification : ROHS.



### PG Threaded cable glands

| Sr. No. | Threading type | Cable Range ( in mm ) | Part No.   | List Price | A  | Min. B | Max.  | C    | D    | Ø E   | Packing |
|---------|----------------|-----------------------|------------|------------|----|--------|-------|------|------|-------|---------|
| 1.      | PG-7           | 2.5 - 6.5             | FC-7       | 9.50       | 15 | 28.0   | 33.6  | 8.5  | 13.4 | 12.25 | 25      |
| 2.      | PG-9           | 3.5 - 8               | FC-9       | 11.50      | 18 | 31.9   | 40.1  | 8.5  | 17.4 | 15.08 | 25      |
| 3.      | PG-11          | 4 - 10                | FC-11      | 13.75      | 24 | 29.5   | 38.4  | 9.8  | 17.4 | 19.00 | 25      |
| 4.      | PG-13.5        | 5 - 12                | FC-13.5    | 15.75      | 26 | 32.7   | 41.9  | 9.8  | 17.8 | 20.05 | 25      |
| 5.      | PG-16          | 9 - 14                | FC-16      | 20.00      | 27 | 31.9   | 40.1  | 9.8  | 17.4 | 15.08 | 25      |
| 6.      | PG-21          | 13 - 18               | FC-21      | 27.00      | 32 | 39.7   | 50.7  | 12.1 | 21.7 | 28.45 | 25      |
| 7.      | PG-29          | 14 - 25               | FC-29      | 53.00      | 42 | 39.7   | 50.7  | 12.1 | 21.7 | 28.45 | 25      |
| 8.      | PG-36          | 19 - 32               | FC-36      | 81.50      | 60 | 52.0   | 70.3  | 12.4 | 31.3 | 46.12 | 10      |
| 9.      | PG-42          | 28 - 40               | FC-42      | 100.00     | 63 | 60.5   | 75.6  | 20.4 | 31.6 | 50.50 | 5       |
| 10.     | PG-48          | 32 - 44               | FC-48      | 120.00     | 63 | 60.5   | 75.6  | 20.4 | 31.6 | 50.50 | 5       |
| 11.     | PG-63          | 40 - 50               | FC-63      | 186.00     | 79 | 81.5   | 105.9 | 29.5 | 43.0 | 70.05 | 5       |
| 12.     | 1/2"NPT        | 7-12                  | FC-1/2"NPT | 35.00      | 24 | 38.5   | 32.0  | 14.0 | 18.0 | 20.60 | 100     |



### CE Certified mm Threaded Nylon Flexible Cable Glands.

Manufactured and tested as per **BS EN 50262:1999** cable glands for electrical installation.

| Sr. No. | Threading type | Cable Range ( in mm ) | Part No.     | List Price | A  | Min. B | Max. | C    | D    | Ø E | Packing |
|---------|----------------|-----------------------|--------------|------------|----|--------|------|------|------|-----|---------|
| 1.      | M 12x1.5       | 2.5 - 6.5             | FCM12x1.5    | 9.50       | 20 | 25.7   | 33.8 | 7.6  | 12.7 | 12  | 25      |
| 2.      | M 16x1.5       | 3.5 - 8               | FCM16x1.5    | 11.50      | 19 | 31.7   | 40.4 | 8.6  | 17.1 | 16  | 25      |
| 3.      | M 20x1.5       | 7 - 12                | FCM20x1.5    | 16.00      | 25 | 34.4   | 46.4 | 12.0 | 17.0 | 20  | 25      |
| 4.      | M 25x1.5       | 9 - 14                | FCM25x1.5    | 21.00      | 31 | 39.8   | 54.6 | 14.7 | 19.0 | 25  | 25      |
| 5.      | M 32x1.5       | 13 - 18               | FCM32x1.5    | 35.00      | 44 | 39.2   | 50.3 | 11.7 | 21.4 | 32  | 25      |
| 6.      | M 40x1.5       | 14 - 25               | FCM40x1.5    | 57.00      | 49 | 43.7   | 57.7 | 10.0 | 26.5 | 40  | 10      |
| 7.      | M 50x1.5       | 22 - 32               | FCM50x1.5    | 89.00      | 58 | 50.7   | 69.2 | 12.3 | 30.4 | 50  | 5       |
| 8.      | M 20x1.5       | 7 - 12                | FCM20x1.5 L  | 27.00      | 25 | 34.4   | 51.4 | 12.0 | 17.0 | 20  | 25      |
| 9.      | M 25x1.5       | 9 - 14                | FCM25x1.5 L  | 40.00      | 31 | 39.8   | 61.6 | 14.7 | 19.0 | 25  | 25      |
| 10.     | M 20x1.5       | 7 - 12                | FCM20x1.5 TC | 34.00      | 25 | 34.4   | 46.4 | 12.0 | 17.0 | 20  | 25      |
| 11.     | M 25x1.5       | 13 - 18               | FCM25x1.5 BC | 27.00      | 31 | 39.8   | 61.6 | 14.7 | 19.0 | 25  | 25      |

- FC Cable glands are **CE CERTIFIED** and made of polyamide 6 ideally suited to guarantee optimum conditions for impact resistance and full insulation.
- Effective gripping is provided on tightening of caps, which ensure that complete strain relief is provided to your cables.
- Specially provided groove on internal part of the cap nut acts as a ratchet, which provides self locking and vibration resistant fixing on some glands.
- Easy mounting of cable glands are provided for introducing cables and conductors in to machines.
- Secure and fast connection in various industries ranging from machineries and equipment manufacturers, measuring and control electronics, automation, electrical and robotics.
- Protection class IP-65 liquid and dust tight connection provides total relief to your cable.






## Spiral Cable Glands in METRIC & PG Threads.

Color : Grey/Black



| Sr.No. | Part No.       | List Price | A   | B     | A/F   | Packing |
|--------|----------------|------------|-----|-------|-------|---------|
| 1.     | FC-SCG-7       | 28.50      | 47  | 7.50  | 15.00 | 25 Nos. |
| 2.     | FC-SCG-9       | 33.50      | 56  | 8.25  | 18.75 | 25 Nos. |
| 3.     | FC-SCG-11      | 36.00      | 67  | 8.25  | 21.50 | 25 Nos. |
| 4.     | FC-SCG-13.5    | 44.00      | 74  | 9.00  | 23.75 | 25 Nos. |
| 5.     | FC-SCG-16      | 51.50      | 87  | 10.00 | 26.75 | 25 Nos. |
| 6.     | FC-SCG-21      | 73.50      | 105 | 11.00 | 32.50 | 25 Nos. |
| 7.     | FC-SCG-M12x1.5 | 30.00      | 47  | 7.50  | 15.00 | 25 Nos. |
| 8.     | FC-SCG-M16x1.5 | 32.00      | 56  | 8.25  | 18.75 | 25 Nos. |
| 9.     | FC-SCG-M20x1.5 | 45.00      | 74  | 9.00  | 23.75 | 25 Nos. |
| 10.    | FC-SCG-M25x1.5 | 54.00      | 87  | 10.00 | 26.75 | 25 Nos. |
| 11.    | FC-SCG-M32x1.5 | 76.00      | 105 | 11.00 | 32.50 | 25 Nos. |




- FC-SCG Cable glands have all features of standard PG Thread Cable Glands with an added cable support to prevent damage and kinks in the cable.

## Nylon Straight Cable Glands

Technical Specification:

Body : Polyamide 6  
 Sealing Washer : PVC  
 Temp : Static - 20°C to 80°C  
 Dynamic : - 10°C to 60°C  
 Protection : Open  
 Color : Black only  
 Item Contents : Body, Cap, Nut, PVC Washer.

| Sr.No. | Part No. | List Price | Min. C | Max. C | D  | Lock Nut E | Ø F  | Packing |
|--------|----------|------------|--------|--------|----|------------|------|---------|
| 1.     | FCST-16  | 12.50      | 35.0   | 33.0   | 11 | 5          | 14.0 | 25 Nos  |
| 2.     | FCST-20  | 13.50      | 37.0   | 35.0   | 11 | 5          | 17.5 | 25 Nos  |
| 3.     | FCST-25  | 17.00      | 37.5   | 35.0   | 11 | 5          | 24.0 | 25 Nos  |
| 4.     | FCST-32  | 26.50      | 40.0   | 37.5   | 11 | 5          | 30.0 | 25 Nos  |



## Flexible Conduit Pipe Gland Suitable for Flexible Conduit Pipes.


CP glands are available in mm threads.

Specially designed teeth for effective gripping and sealing of conduit pipes.

Conduit Pipe glands are ideally suited for use where a number of wires are to be passed through a single panel port or machine part.

Available Black and Grey Colors.

Material : ABS.



| Sr.No. | Part No. | List Price | Pipe Size | Pipe Size ID | Pipe Size OD | C  | Ø F  | Packing |
|--------|----------|------------|-----------|--------------|--------------|----|------|---------|
| 1.     | FCCP-16  | 12.00      | 12        | 11           | 16           | 30 | 15.5 | 25 Nos  |
| 2.     | FCCP-20  | 15.50      | 16        | 15           | 20           | 31 | 18.5 | 25 Nos  |
| 3.     | FCCP-25  | 21.00      | 20        | 19           | 25           | 37 | 23.5 | 25 Nos  |
| 4.     | FCCP-32  | 23.00      | 25        | 25           | 32           | 40 | 30.5 | 25 Nos  |
| 5.     | FCCP-38  | 25.00      | 30        | 28           | 38           | 40 | 30.5 | 25 Nos  |
| 6.     | FCCP-40  | 25.00      | 32        | 32           | 40           | 40 | 38.0 | 25 Nos  |
| 7.     | FCCP-50  | 31.10      | 40        | 40           | 50           | 41 | 49.0 | 25 Nos  |



### Polyamide Toughened conduit pipes.

Material :Toughened Polyamide 6

IP RATING : IP 68 with ends properly sealed or in combination with suitable glands.

Resistant : Most chemicals and alkalis, good weathering properties.

UV stabilized conduits available upon request.

Slitted conduit pipes available on MOQ basis.

Tensile modules : 17300 Kg(f)cm<sup>2</sup>

Flexural modules : 18400 Kg(f)cm<sup>2</sup>

Tensile strength : 590 Kg/cm<sup>2</sup>

Impact strength : 20 Kg/cm<sup>2</sup>

Temperature range : -10°C to 90°C

Color : Black ( Other colors prices will be 15% additional)

| Sr. No. | Part No.    | Compatible PG size. | Compatible Metric Size | MRP Per Mtr. | Pipe size in mm |      | Bending radius | Packing in meters |
|---------|-------------|---------------------|------------------------|--------------|-----------------|------|----------------|-------------------|
|         |             |                     |                        |              | ID              | OD   |                |                   |
| 1.      | FCNCP-10 ID | PG-7                | M12x1.5                | 59.00        | 9.6             | 13.0 | 20             | 50                |
| 2.      | FCNCP-12 ID | PG-9                | M16x1.5                | 67.00        | 11.8            | 15.8 | 30             | 50                |
| 3.      | FCNCP-16 ID | PG-13.5             | M20x1.5                | 76.00        | 16.5            | 21.2 | 40             | 50                |
| 4.      | FCNCP-22 ID | PG-16               | M25x1.5                | 96.00        | 21.7            | 28.5 | 42             | 50                |
| 5.      | FCNCP-29 ID | PG-36               | M40x1.5                | 146.00       | 29.0            | 34.5 | 55             | 50                |
| 6.      | FCNCP-36 ID | PG-42               | M50x1.5                | 206.00       | 36.0            | 42.5 | 62             | 25                |
| 7.      | FCNCP-48 ID | PG-48               | M63x1.5                | 265.00       | 48.0            | 54.5 | 72             | 25                |



### Quick coupling flexible conduit gland / adaptor suitable for conduit pipes.

Material : Polyamide 6 Color : Black

IP Rating : IP 55

| Sr.No. | Part No. | Assembly Threading | MRP Per pcs | Suitable FC conduit pipe part No. | Pipe Size ID OD |      | Packing |
|--------|----------|--------------------|-------------|-----------------------------------|-----------------|------|---------|
| 1.     | FCQCP-12 | M12x1.5            | 31.00       | FCNCP-10 ID                       | 9.6             | 13.0 | 25 Nos. |
| 2.     | FCQCP-16 | M16x1.5            | 34.00       | FCNCP-12 ID                       | 11.8            | 15.8 | 25 Nos. |
| 3.     | FCQCP-20 | M20x1.5            | 40.00       | FCNCP-16 ID                       | 16.5            | 21.2 | 25 Nos. |
| 4.     | FCQCP-25 | M25x1.5            | 47.00       | FCNCP-22 ID                       | 21.7            | 28.5 | 25 Nos. |
| 5.     | FCQCP-32 | M32x1.5            | 86.00       | FCNCP-29 ID                       | 29.0            | 34.5 | 25 Nos. |
| 6.     | FCQCP-40 | M40x1.5            | 106.00      | FCNCP-29 ID                       | 29.0            | 34.5 | 25 Nos. |
| 7.     | FCQCP-50 | M50x1.5            | 130.00      | FCNCP-36 ID                       | 36.0            | 42.5 | 10 Nos. |
| 8.     | FCQCP-63 | M63x1.5            | 177.00      | FCNCP-48 ID                       | 48.0            | 54.5 | 10 Nos. |



| Sr.No. | Part No.          | Assembly Threading | MRP Per pcs | Suitable FC conduit pipe part No. | Pipe Size ID OD |      | Bending Radius | Packing Nos |
|--------|-------------------|--------------------|-------------|-----------------------------------|-----------------|------|----------------|-------------|
| 1.     | QCFC - PG7/10     | PG-7               | 31.00       | FCNCP-10 ID                       | 9.6             | 13   | 20             | 25          |
| 2.     | QCFC - PG9/10     | PG-9               | 33.00       |                                   |                 |      |                |             |
| 3.     | QCFC - M12/10     | M12x1.5            | 33.00       |                                   |                 |      |                |             |
| 4.     | QCFC - M16/10     | M16x1.5            | 33.00       |                                   |                 |      |                |             |
| 5.     | QCFC - PG9/12     | PG-9               | 34.00       | FCNCP-12 ID                       | 11.8            | 15.8 | 20             | 25          |
| 6.     | QCFC - PG11/12    | PG-11              | 38.00       |                                   |                 |      |                |             |
| 7.     | QCFC - PG13.5/12  | PG-13.5            | 40.00       |                                   |                 |      |                |             |
| 8.     | QCFC - M16/12     | M16x1.5            | 34.00       |                                   |                 |      |                |             |
| 9.     | QCFC - 1/2"NPT/12 | ½ NPT              | 40.00       | FCNCP-16 ID                       | 16.5            | 21.2 | 40             | 25          |
| 10.    | QCFC - PG19/12    | PG-19              | 40.00       |                                   |                 |      |                |             |
| 11.    | QCFC - PG11/16    | PG-11              | 40.00       |                                   |                 |      |                |             |
| 12.    | QCFC - PG13.5/16  | PG-13.5            | 42.00       |                                   |                 |      |                |             |
| 13.    | QCFC - PG16/16    | PG-16              | 45.00       | FCNCP-22ID                        | 21.7            | 28.5 | 40             | 25          |
| 14.    | QCFC - PG19/16    | PG-19              | 48.00       |                                   |                 |      |                |             |
| 15.    | QCFC - M20/16     | M20x1.5            | 40.00       |                                   |                 |      |                |             |
| 16.    | QCFC - M25/16     | M25x1.5            | 45.00       |                                   |                 |      |                |             |
| 17.    | QCFC - ½ NPT/16   | ½ NPT/16           | 47.00       | FCNCP-29 ID                       | 29              | 34.5 | 55             | 25          |
| 18.    | QCFC - PG16/22    | PG-16              | 50.00       |                                   |                 |      |                |             |
| 19.    | QCFC - PG21/22    | PG-21              | 52.00       |                                   |                 |      |                |             |
| 20.    | QCFC - PG25/22    | PG-25              | 50.00       |                                   |                 |      |                |             |
| 21.    | QCFC - M25/22     | M25x1.5            | 50.00       | FCNCP-36 ID                       | 36              | 42.5 | 62             | 25          |
| 22.    | QCFC - PG19/22    | PG-19              | 50.00       |                                   |                 |      |                |             |
| 23.    | QCFC - PG29/29    | PG-29              | 106.00      |                                   |                 |      |                |             |
| 24.    | QCFC - M40/29     | M40x1.5            | 106.00      |                                   |                 |      |                |             |
| 25.    | QCFC - PG36/36    | PG-36              | 130.00      | FCNCP-48 ID                       | 48              | 54.5 | 72             | 25          |
| 26.    | QCFC - PG42/36    | PG-42              | 140.00      |                                   |                 |      |                |             |
| 27.    | QCFC - M50/36     | M50x1.5            | 130.00      |                                   |                 |      |                |             |
| 28.    | QCFC - PG48/48    | PG-48              | 177.00      |                                   |                 |      |                |             |
| 29.    | QCFC - M63/48     | M63x1.5            | 177.00      |                                   |                 |      |                |             |





## Blanking Plug in Metric & PG Threads.

Material : Polyamide.

Available in Black & Grey Color

Protection : IP - 54

IP 67 with rubber 'O' ring available at additional cost.




| Sr.No. | Part No.   | List price per 100 pcs. | A    | B    | ØC   | Sr.No. | Part No.     | List price per 100 pcs. | A    | B    | ØC   |
|--------|------------|-------------------------|------|------|------|--------|--------------|-------------------------|------|------|------|
| 1.     | FC-BP-7    | 579.00                  | 6.0  | 8.0  | 12.4 | 11.    | FCBP-M12x1.5 | 630.00                  | 6.0  | 10.0 | 12.5 |
| 2.     | FC-BP-9    | 643.00                  | 6.0  | 9.0  | 15.2 | 12.    | FCBP-M16x1.5 | 643.00                  | 7.0  | 11.5 | 16.5 |
| 3.     | FC-BP-11   | 643.00                  | 9.5  | 9.0  | 18.3 | 13.    | FCBP-M20x1.5 | 707.00                  | 7.0  | 9.5  | 20.5 |
| 4.     | FC-BP-13.5 | 707.00                  | 9.5  | 9.5  | 20.0 | 14.    | FCBP-M25x1.5 | 1119.00                 | 11.0 | 15.5 | 25.5 |
| 5.     | FC-BP-16   | 733.00                  | 9.5  | 9.5  | 22.5 | 15.    | FCBP-M32x1.5 | 2083.00                 | 11.0 | 16.0 | 32.5 |
| 6.     | FC-BP-21   | 771.00                  | 11.0 | 11.0 | 28.5 | 16.    | FCBP-M40x1.5 | 2379.00                 | 13.0 | 18.0 | 41.0 |
| 7.     | FC-BP-29   | 1119.00                 | 12.0 | 12.0 | 36.7 | 17.    | FCBP-M50x1.5 | 2777.00                 | 13.0 | 18.5 | 51.0 |
| 8.     | FC-BP-36   | 2083.00                 | 15.0 | 15.0 | 47.0 | 18.    | FCBP-M63x1.5 | 3472.00                 | 15.0 | 19.0 | 65.0 |
| 9.     | FC-BP-42   | 2379.00                 | 16.0 | 16.0 | 50.0 |        |              |                         |      |      |      |
| 10.    | FC-BP-48   | 2777.00                 | 12.0 | 16.0 | 60.0 |        |              |                         |      |      |      |

## LOCK NUTS in Metric & PG Threads.

Material : Polyamide 6.

Available in Black & Grey Colour

Compatible with FC Cable Glands & Blanking Plugs.



| Sr.No. | Threading type | List price per 100 pcs. | Part No.  | A   | B     | Sr.No. | Threading Type | List price per 100 pcs. | Part No.     | A   | B    |
|--------|----------------|-------------------------|-----------|-----|-------|--------|----------------|-------------------------|--------------|-----|------|
| 1.     | PG-7           | 230.00                  | FCLN-7    | 5.2 | 17.8  | 1.     | M12x1.5        | 230.00                  | FCLN-M12x1.5 | 5.0 | 17.9 |
| 2.     | PG-9           | 245.00                  | FCLN-9    | 5.2 | 24.5  | 2.     | M16x1.5        | 245.00                  | FCLN-M16x1.5 | 5.1 | 24.3 |
| 3.     | PG-11          | 260.00                  | FCLN-11   | 5.2 | 26.5  | 3.     | M20x1.5        | 300.00                  | FCLN-M20x1.5 | 6.1 | 30.0 |
| 4.     | PG-13.5        | 300.00                  | FCLN-13.5 | 6.1 | 29.5  | 4.     | M25x1.5        | 350.00                  | FCLN-M25x1.5 | 6.2 | 33.6 |
| 5.     | PG-16          | 350.00                  | FCLN-16   | 6.2 | 33.5  | 5.     | M32x1.5        | 420.00                  | FCLN-M32x1.5 | 7.3 | 39.9 |
| 6.     | PG-21          | 450.00                  | FCLN-21   | 7.0 | 39.0  | 6.     | M40x1.5        | 860.00                  | FCLN-M40x1.5 | 8.0 | 48.0 |
| 7.     | PG-29          | 635.00                  | FCLN-29   | 7.0 | 50.5  | 7.     | M50x1.5        | 1300.00                 | FCLN-M50x1.5 | 8.0 | 58.0 |
| 8.     | PG-36          | 950.00                  | FCLN-36   | 8.0 | 67.0  | 8.     | M63x1.5        | 1800.00                 | FCLN-M63x1.5 | 9.5 | 78.0 |
| 9.     | PG-42          | 1100.00                 | FCLN-42   | 8.0 | 66.0  |        |                |                         |              |     |      |
| 10.    | PG-48          | 1500.00                 | FCLN-48   | 9.5 | 78.66 |        |                |                         |              |     |      |
| 11.    | PG-63          | 1800.00                 | FCLN-63   | 9.5 | 81.60 |        |                |                         |              |     |      |

## Rubber Grommets and closures

Material : Rubber EPDM.

Material : Plastic PVC HRC 60 - 65. (Soft)

Suitable for 2 mm, 2.5 mm & 3 mm Sheet.

| CAT. No.                     | List price per 100 pcs. | Sheet Hole | Diameter |
|------------------------------|-------------------------|------------|----------|
|                              |                         | Inches     | mm       |
| FC-GB-01                     | 220.00                  | 3/8"       | 9.5      |
| FC-GB-02                     | 290.00                  | 1/2"       | 12.5     |
| FC-GB-03                     | 310.00                  | 5/8"       | 15.5     |
| FC-GB-04                     | 350.00                  | 3/4"       | 19.0     |
| FC-GB-05                     | 370.00                  | 7/8"       | 22.0     |
| FC-GB-06                     | 400.00                  | 1"         | 25.0     |
| FC-GB-07                     | 560.00                  | 1 1/4"     | 32.0     |
| FC-GB-08                     | 680.00                  | 1 1/2"     | 37.5     |
| FC-GB-09                     | 900.00                  | 1 3/4"     | 44.0     |
| FC-GB-10                     | 1000.00                 | 2"         | 50.0     |
| FC-GB-11                     | 1120.00                 | 2 1/4"     | 56.25    |
| FC-GB-12                     | 1800.00                 | 2 1/2"     | 62.5     |
| PVC GROMMETS- OPEN TYPE ONLY |                         |            |          |
| FC-GBP-04                    | 230.00                  | 3/4"       | 19.0     |
| FC-GBP-06                    | 330.00                  | 1"         | 25.0     |





## Meter Inspection Window

FLU CON Range of Inspection Windows are produced from quality raw materials conforming to international standard and specifications.

All windows are IP 66 rated and are in UV protective raw material of Polycarbonate.



Screw Type

Product Code:- FCMWG-04


List Price: 50.00 (PC)

Cut Out Size:- 92x92 mm

Viewing Area:- 90x90 mm

Material :- Polycarbonate

IP Protection Gasket :- EPDM



Snap Type

Product Code:- FCUWG-96x96

List Price : 76.00

Cut Out Size:- 92x92 mm

Viewing Area:- 90x90 mm

Material :- Polycarbonate

IP Protection Gasket :- EPDM

IP Protection Class:- IP 66

Provision for Screw fitting is also provided

Suitable for 1.5 and 2 mm Sheet.



Product Code:- FCHWG-200x200

List price: 517.00

Cut Out Size:- 157x157 mm

Viewing Area:- 150x150 mm

Material :- Polycarbonate

IP Protection Gasket :- EPDM

IP Protection Class:- IP 66



Screw Type

Product Code:- FCMWG-01

List Price: 77.00

Cut Out Size:- 90x130 mm

Viewing Area:- 86x126 mm

Material :- Polycarbonate

IP Protection Gasket :- EPDM



Screw Type

Product Code:- FCMWG-02

List Price: 103.00

Cut Out Size:- 120x160mm

Viewing Area:- 116x156 mm

Material :- Polycarbonate

IP Protection Gasket :- EPDM



Screw Type

Product Code:- FCMWG-03

List Price: 309.00

Cut Out Size:- 206x206 mm

Viewing Area:- 200x200 mm

Material :- Polycarbonate


IP Protection Gasket :- EPDM

## Air Breathers For Control panel cabinets, Industrial Machines and Equipments.

Material : Polypropylene  
 Colour : Grey, RAL- 7035  
 Temperature : 40°C to 80°C

### Air Breather . Part No.FCAV-01B


List Price: 45.00




Material : Polyamide  
 Colour : Grey, RAL- 7035 /Black  
 Temperature : 45°C to 90°C

### Air Breather . Part No.FCAV-03B

List Price: 45.00



Size : 96x96 (Snap type)  
 Material : ABS  
 Color : Grey RAL 7035  
 Snap Fit provided for additional screw fitting.



Product Code:- FCPFG-01

List Price: 50.00



### Air Vent Surface Mounted with Screw Fitting.



Product Description : Air Ventilators with washable filters compatible with control panel exhaust fans.

Material : ABS



Color : Grey,RAL- 7035

Seal gasket : Sponge EVA.

Certification: ROHS.



| Product Code. | List Price | Sizes   | A   | B   | C   | D   | E       | F  | Number of Louvers | Fan Compatibility | Packing  |
|---------------|------------|---------|-----|-----|-----|-----|---------|----|-------------------|-------------------|----------|
| FCAV-04       | 65.00      | 90x90   | 90  | 90  | 71  | 71  | N/A     | 17 | 9                 | 3 Inches          | 100 Nos. |
| FCAV-01       | 65.00      | 130x130 | 130 | 130 | 105 | 105 | 96      | 22 | 14                | 4 Inches          | 100 Nos  |
| FCAV-02       | 110.00     | 184x184 | 184 | 184 | 155 | 155 | N/A     | 24 | 15                | 6 Inches          | 100 Nos  |
| FCAV-03       | 300.00     | 238x238 | 238 | 238 | 185 | 185 | 213x213 | 35 | 19                | 8 Inches          | 50 Nos   |



### Air Vent Flush Mounted with snap fit

Product Description : Air Ventilators with washable filters.

Material : ABS

Color : Grey, RAL-7035

Seal gasket : Sponge EVA.

Certification: ROHS.

| Product Code. | List Price | Sizes   | A   | B   | E    | F    | Number of Louvers | Cut out Size |       | Packing |
|---------------|------------|---------|-----|-----|------|------|-------------------|--------------|-------|---------|
|               |            |         |     |     |      |      |                   | C            | D     |         |
| FCAV-01S      | 75.00      | 147x147 | 147 | 147 | 23.5 | 14.5 | 15                | 122.5        | 122.5 | 100 Nos |
| FCAV-02S      | 260.00     | 203x203 | 203 | 203 | 31   | 19   | 16                | 176          | 176   | 50 Nos  |
| FCAV-03S      | 400.00     | 255x255 | 255 | 255 | 31   | 19   | 19                | 223          | 223   | 50 Nos  |
| FCAV-04S      | 600.00     | 325x325 | 325 | 325 | 32   | 19   | 25                | 292          | 292   | 25 Nos  |



# Document Holder.


Material :- ABS

Colour:- Grey RAL 7035

Fitting :- Provided With self adhesive foam tape

## A5 SIZE.

L = 190  
W = 20  
H = 175




Product Code:- FCDOC-01

List Price: 70.00

## A4 SIZE.

L = 276  
W = 38.5  
H = 232




Product Code:- FCDOC-02

List Price: 135.00

## A4 SIZE.

L = 282  
W = 17.5  
H = 272



Product Code:- FCDOC-03


List Price: 95.00



**Control Panel Door Knobs with Metal Lever suitable height 20,25,40,50 mm.  
Material: Polyamide.**




**Product Code: FC-DK-01**  
**List Price: 32.00**




**Product Code: FC-DK-02**  
**List Price : 36.00**




**Product Code: FC-DK-03PL**  
**List Price : 33.00**



**Product Code: FC-DK-04ML**  
**List Price : 47.00**




**Product Code: FC-DK-05PL**  
**List Price : 39.00**




**Product Code: FC-DK-06ML**  
**List Price : 53.00**





**Product Code: FC-DK-07PL**  
**List Price : 41.00**



**Product Code: FC-DK-08ML**  
**List Price : 50.00**






**Product Code: FCSL-01**  
**List price: 21.00**  
**Snap Latch**  
**Material: Polyamide.**  
**Color : Black/Grey.**





**Product Code: FCMK-01 : Minus**  
**FCSK-01 : Square**  
**FCTK-01 : Triangular**



**List Price : 12.00**  
**Material: Polyamide.**  
**Colour : Black/Grey.**




**Product Code: FCHI-03**  
**List price : 64.0**  
**50mm Flat Hinge with**  
**Mounting Screw.**  
**Material: Polyamide.**  
**Color : Black.**




**Product Code: FCHI-01**  
**List Price: 19.00**  
**180 Hinge for 2mm Sheet.**  
**Material: Polyamide Body, Delrin Pin**  
**Color : Black**







**Product Code: FC-DLH-01**  
**List price: 12.00**  
**Door Label Holder**  
**Material: Polycarbonate.**  
**Color : Transparent**




**Product Code: FC-DLH-02**  
**List Price : 12.00**  
**Door Label Holder**  
**Material: Polycarbonate.**  
**Color : Transparent**



**DC Tape Clip**  
**For bare & Coated copper tape**  
**Material :- Polyamide**  
**Product Code:- FCDTC-01- 25x3 mm**  
**FCDTC-02 - 30x6 mm**  
**FCDTC-03 - 25X2.5 mm**  
**List Price: 24.00**




**Current Transformer Cable Clamp**  
**Product Code**  
**FCCTH-01 List price: 29.50**  
**FCCTH-02 List price: 35.50**  
**Size:- 82 /115 mm**  
**Material :- Polyamide.**



## Line Tap

Material : Housing Base - PC/Polyamide.  
Cover- Polycarbonate.  
Brass Parts Drop Forged Zinc plated.  
Connector screws: - Brass Zinc plated.

| Product Code | Item Description | Current Rating | List Price | Std. Packing |
|--------------|------------------|----------------|------------|--------------|
| FCLT-01      | 95 Sq.mmx2way    | 150 Amps.      | 400.00     | 25 Nos.      |
| FCLT-02      | 95 Sq.mmx4way    | 150 Amps.      | 571.00     | 25 Nos.      |
| FCLT-03      | 150 Sq.mmx2way   | 250 Amps.      | 671.00     | 25 Nos.      |
| FCLT-04      | 150 Sq.mmx4way   | 250 Amps.      | 1553.00    | 25 Nos.      |
| FCLT-05      | 240 Sq.mmx2way   | 600 Amps.      | 2206.00    | 25 Nos.      |
| FCLT-06      | 240 Sq.mmx4way   | 600 Amps.      | 2912.00    | 25 Nos.      |



## Line Tap

Product Code: FCLT-07  
Material : Housing Base - PC/Polyamide.  
Cover- Polycarbonate.  
Brass Parts Drop Forged Zinc plated..  
Screws :- Connector Screws Brass Zinc plated.  
Current Rating:- 150 Amps.



## Branching Terminal.

Material : Housing Base: - ABS, Cover-Polycarbonate.  
Connector Block: - Brass Grade CZ121Pb4-Cu ( 56.5%-58.5% ),  
Pb(3.5%-4.5%)

Connector Plating:- Zinc Plated.  
Connection:- 2 incoming and 3 out going per connector  
Screws: - M.S.Yellow passivation



List Price: 359.00

List Price: 221.00

Also available bare connectors with single screw fitting on the bottom.



## Extruded Terminal Bar. (Without base)

Material : Brass CZ.


Screws: - M.S.Yellow passivation

Terminal Bar are suitable for use with FLU-CON make bases in Polyamide, Bakelite & DMC.




### 15 Amps Terminal Bar

| Product Code | Description     | Number of Holes | Length (mm) | Weight per pcs (Gms) | List Price    |
|--------------|-----------------|-----------------|-------------|----------------------|---------------|
| FCTB-15-01   | 15 Amp x 4 way  | 5               | 50          | 22.63                | <b>66.00</b>  |
| FCTB-15-02   | 15 Amp x 6 way  | 7               | 64          | 28.48                | <b>81.00</b>  |
| FCTB-15-03   | 15 Amp x 8 way  | 9               | 78          | 34.33                | <b>98.00</b>  |
| FCTB-15-04   | 15 Amp x10 way  | 11              | 92          | 40.18                | <b>115.00</b> |
| FCTB-15-05   | 15 Amp x 12 way | 13              | 106         | 46.03                | <b>132.00</b> |
| FCTB-15-06   | 15 Amp x 14 way | 15              | 120         | 51.88                | <b>151.00</b> |
| FCTB-15-07   | 15 Amp x 16 way | 17              | 134         | 57.73                | <b>167.00</b> |
| FCTB-15-08   | 15 Amp x 18 way | 19              | 148         | 63.58                | <b>187.00</b> |
| FCTB-15-09   | 15 Amp x 20 way | 21              | 162         | 69.43                | <b>203.00</b> |
| FCTB-15-010  | 15 Amp x 22 way | 23              | 176         | 75.28                | <b>219.00</b> |
| FCTB-15-011  | 15 Amp x 24 way | 25              | 190         | 81.13                | <b>233.00</b> |
| FCTB-15-012  | 15 Amp x 26 way | 27              | 204         | 86.98                | <b>249.00</b> |
| FCTB-15-013  | 15 Amp x 28 way | 29              | 218         | 92.83                | <b>273.00</b> |
| FCTB-15-014  | 15 Amp x 30 way | 31              | 232         | 98.67                | <b>288.00</b> |
| FCTB-15-015  | 15 Amp x 32 way | 33              | 246         | 104.52               | <b>320.00</b> |
| FCTB-15-016  | 15 Amp x 34 way | 35              | 260         | 110.37               | <b>334.00</b> |
| FCTB-15-017  | 15 Amp x 36 way | 37              | 274         | 116.22               | <b>357.00</b> |




### 30 Amps Terminal Bar

| Product Code | Description     | Number of Holes | Length (mm) | Weight per pcs (Gms) | List Price    |
|--------------|-----------------|-----------------|-------------|----------------------|---------------|
| FCTB-30-01   | 30 Amp x 4 way  | 5               | 55          | 28.45                | <b>81.00</b>  |
| FCTB-30-02   | 30 Amp x 6 way  | 7               | 70          | 35.70                | <b>103.00</b> |
| FCTB-30-03   | 30 Amp x 8 way  | 9               | 85          | 42.94                | <b>111.00</b> |
| FCTB-30-04   | 30 Amp x10 way  | 11              | 100         | 50.18                | <b>147.00</b> |
| FCTB-30-05   | 30 Amp x 12 way | 13              | 115         | 57.42                | <b>167.00</b> |
| FCTB-30-06   | 30 Amp x 14 way | 15              | 130         | 64.67                | <b>190.00</b> |
| FCTB-30-07   | 30 Amp x 16 way | 17              | 145         | 71.91                | <b>210.00</b> |
| FCTB-30-08   | 30 Amp x 18 way | 19              | 160         | 79.15                | <b>232.00</b> |
| FCTB-30-09   | 30 Amp x 20 way | 21              | 175         | 86.39                | <b>252.00</b> |
| FCTB-30-010  | 30 Amp x 22 way | 23              | 190         | 93.64                | <b>274.00</b> |
| FCTB-30-011  | 30 Amp x 24 way | 25              | 205         | 100.88               | <b>297.00</b> |
| FCTB-30-012  | 30 Amp x 26 way | 27              | 220         | 108.12               | <b>318.00</b> |
| FCTB-30-013  | 30 Amp x 28 way | 29              | 235         | 115.36               | <b>338.00</b> |
| FCTB-30-014  | 30 Amp x 30 way | 31              | 250         | 122.61               | <b>360.00</b> |
| FCTB-30-015  | 30 Amp x 32 way | 33              | 265         | 129.85               | <b>381.00</b> |
| FCTB-30-016  | 30 Amp x 34 way | 35              | 280         | 137.09               | <b>404.00</b> |
| FCTB-30-017  | 30 Amp x 36 way | 37              | 295         | 144.33               | <b>416.00</b> |



### 60 Amps Terminal bar

| Product Code | Description     | Number of Holes | Length (mm) | Weight per pcs (Gms) | List Price     |
|--------------|-----------------|-----------------|-------------|----------------------|----------------|
| FCTB-60-01   | 60 Amp x 4 way  | 5               | 63          | 78.73                | <b>214.00</b>  |
| FCTB-60-02   | 60 Amp x 6 way  | 7               | 83          | 102.48               | <b>278.00</b>  |
| FCTB-60-03   | 60 Amp x 8 way  | 9               | 103         | 126.23               | <b>343.00</b>  |
| FCTB-60-04   | 60 Amp x10 way  | 11              | 123         | 149.98               | <b>406.00</b>  |
| FCTB-60-05   | 60 Amp x 12 way | 13              | 143         | 173.73               | <b>473.00</b>  |
| FCTB-60-06   | 60 Amp x 14 way | 15              | 163         | 197.48               | <b>536.00</b>  |
| FCTB-60-07   | 60 Amp x 16 way | 17              | 183         | 221.23               | <b>600.00</b>  |
| FCTB-60-08   | 60 Amp x 18 way | 19              | 203         | 244.98               | <b>663.00</b>  |
| FCTB-60-09   | 60 Amp x 20 way | 21              | 223         | 268.73               | <b>728.00</b>  |
| FCTB-60-010  | 60 Amp x 22 way | 23              | 243         | 292.48               | <b>793.00</b>  |
| FCTB-60-011  | 60 Amp x 24 way | 25              | 263         | 316.23               | <b>856.00</b>  |
| FCTB-60-012  | 60 Amp x 26 way | 27              | 283         | 339.98               | <b>920.00</b>  |
| FCTB-60-013  | 60 Amp x 28 way | 29              | 303         | 363.73               | <b>986.00</b>  |
| FCTB-60-014  | 60 Amp x 30 way | 31              | 323         | 387.48               | <b>1050.00</b> |
| FCTB-60-015  | 60 Amp x 32 way | 33              | 343         | 411.23               | <b>1113.00</b> |
| FCTB-60-016  | 60 Amp x 34 way | 35              | 363         | 434.98               | <b>1177.00</b> |
| FCTB-60-017  | 60 Amp x 36 way | 37              | 383         | 458.72               | <b>1243.00</b> |





Also Available in meter Length and as per Customer Drawing or Specification.










## FLU - CON Make Terminal Bases Suitable For Fixing of Neutral Links and Terminal Connectors.



**Terminal Base- Height 14mm**  
**Product Code:- FCNLBP-01**  
 Material :- Polyamide  
**List Price: 9.50**



**Terminal Base - Height-19mm**  
**Product Code**  
**FCNLBD-02-DMC**  
**FCNLBP-02-Polyamide**  
**FCNLBB-02-Bakalite**  
 Material :- DMC/Bakalite/Polyamide.  
**List Price:9.50**



**Terminal Base - Height- 21mm**  
**Product Code**  
**FCNLBD-03-DMC**  
**FCNLBB-03-Bakalite**  
 Material :- DMC/Bakalite  
**List Price:10.50**




**Din Rail Mounted Terminal Base**  
**Product Code:- FCNLB-04**  
 Material :- PP FR  
**List Price: 9.50**




**Din Rail Mounted Terminal Base**  
**Product Code:- FCNLB-05**  
 Material :- PP FR  
**List Price: 9.50**



**C- Channel Base**  
**Product Code:- FCNLB-06**  
 Material :- ABS  
**List Price: 9.50**



**Terminal Base**  
**Product Code: FCNLB-07 - STEP**  
 Material: Polyamide  
 Inserts- Brass-M5  
**List Price: 100.00**



**Terminal Base**  
**Product Code**  
**FCNLBN-04 -LW(80x15mm)**  
**FCNLBN-05 - LW(25 x 15mm)**  
 Suitable for 15 mm Width Open  
 Length Terminal  
 Material :- Polyamide  
**List Price: 9.50**



## FLU - CON Make Terminal Bases Suitable For Fixing of Neutral Links and Terminal Connectors.



**Terminal Base**  
**Product Code:- FCEB-01**  
Material :- Backalite  
**List Price: 40.00**



**Single Way Base**  
**Product Code:- FCEB-02**  
Current Rating :- 32 Amps.  
Material :- Base-Backalite.  
Terminal-M.S zinc plated.  
**List Price: 104.00**



**Three Way Base**  
**Product Code:- FCEB-03**  
Current Rating :- 100Amps.  
Material :- Base-Backalite.  
Terminal-Copper.  
**List Price: 163.00**

## Equipotential Earth Bonding Bar 14 Way- 63 Amps.

**Product Code:- FCEBB01**



**List price:**

**With base : 515.00**  
**Without base : 470.00**

## Neutral Link & Neutral Break.

Product Code: FCNL/B-001

Material : Housing Base - Polyamide 30% GF  
Conductor Strips - EC Grade copper Nickel Plated.  
Nut Bolts - M.S.Yellow passivation

| Product Code | Item Description            | Cu.Conductor Size, Thick.x Width | List Price | Std. Packing |
|--------------|-----------------------------|----------------------------------|------------|--------------|
| FCNL -01     | 60 Amps Neutral Link        | 3x20 mm                          | 124.00     | 100 Nos.     |
| FCNL -02     | 100 Amps Neutral Link       | 5x20 mm                          | 156.00     | 100 Nos.     |
| FCNLB-03     | 100 Amps Neutral Link Break | 3x20 mm                          | 251.00     | 100 Nos.     |
| FCNLB -04    | 150 Amps Neutral Link Break | 5x20 mm                          | 383.00     | 100 Nos.     |
| FCNLB -05    | 200 Amps Neutral Link Break | 5x25.4 mm                        | 530.00     | 100 Nos.     |
| FCNLB -06    | 250 Amps Neutral Link Break | 6.3x25.4mm                       | 577.00     | 100 Nos.     |





**32 Amps.DIN Rail Mounted Connector.**

**Product Code:- FCDN-01**

**List Price: 65.00**



**Connector 7x2 mm**

**Product Code:- FCCN-07**

Material :- Housing Polyamide.

Terminal Bar Brass.

Connector M.S.

**List Price: 221.00**



**Mains Power Connector. 40Amps. 450V**

**Product Code:- FCMPC-01**

**List Price: 192.00**



**Product Code: FCIPC-01**

**List Price: 163.00**

**Insulation piercing connector for for insulated ABC cable.**

Material : Conductor Cu. Body: Polyamide 66.

Color : Black

Main Line : 25-95, Branch line - 2.5 - 25

Maximum current : 160 Amps.

Single shear Bolt.

Terminal Strip

15 Amps 12 way terminal strip.

Rating- 380 volts rated current.

Plastic insulation- LD.

Connectors - Extruded brass tin plated.

**Product code:FCISC02.**

**List Price: 100.00**






### MCB Blanker Suitable for Blank Cut out in Control Panel and DB Box.

Product Type : single Module, 4 Module, 5 Module, 12 Module.

Material : ABS

Colour : Grey RAL - 7035.



| Product Code. | A     | B      | Sheet Size<br>C | Cut out Size |
|---------------|-------|--------|-----------------|--------------|
| FC5WB-146     | 146mm | 45.5mm | 1.5 to 2 mm     | 46x142mm     |
| FC5WB-144     | 146mm | 43.5mm | 1.5 to 2 mm     | 44x142mm     |
| FC4B-246      | 73mm  | 45.5mm | 1.5 to 2 mm     | 46x68mm      |
| FC12WB-246    | 216mm | 45.5mm | 1.5 to 2 mm     | 46x210mm     |

FC5WB-146 } List Price: 25.00  
FC5WB-144 }



FC4B-246  
List Price: 18.00


FC12WB-246  
List Price: 40.00

### MCB Blanker Suitable for Blank Cut out in Control Panel and DB Box.

Product Type : single Module,

Material : ABS

Colour : Grey RAL- 7035.



| Product Code. | A     | B     | C     | Sheet Size  | Cut out Size |
|---------------|-------|-------|-------|-------------|--------------|
| FCIWB-1850    | 54 mm | 18 mm | 50 mm | 1.5 to 2 mm | 50x17mm      |
| FCIWB-1360    | 65 mm | 13mm  | 60 mm | 1.5 to 2 mm | 60x12mm      |
| FCIWB-2560    | 65 mm | 25mm  | 60 mm | 1.5 to 2 mm | 60x24mm      |

FCIWB-1850 } List Price: 14.00  
FCIWB-1360 }  
FCIWB-2560 }








## Insulated Comb Bus Bar.

Rating : 100 Amps.

Material :- Conductor Cu. Insulation-PVC (ROHS)

Colour :- Light Grey

Sizes Available: Single Pole, 2 Pole, 3 Pole, 4 Pole. Pin & Fork Type.



| Sr.No | Product Code | Length | Pin Type       | List Price     |                  |
|-------|--------------|--------|----------------|----------------|------------------|
|       |              |        |                | Fork Type      | End Caps(100pcs) |
| 1.    | FCICB-01     | 1 Mtr. | <b>550.00</b>  | <b>580.00</b>  | <b>360.00</b>    |
| 2.    | FCICB-02     | 1 Mtr. | <b>1020.00</b> | <b>1020.00</b> | <b>400.00</b>    |
| 3.    | FCICB-03     | 1 Mtr. | <b>1300.00</b> | <b>1300.00</b> | <b>470.00</b>    |
| 4.    | FCICB-04     | 1 Mtr. | <b>1900.00</b> | <b>1900.00</b> | <b>550.00</b>    |




### DMC Spacers Cylindrical Hex.Bottom Male-Male

Material : DMC ROHS & REACH COMPLIANCE

Colour : White.

| Product Code | L (mm) | Dia. D | Thread H1 | Thread H2 | A/F | P1 (mm) | P2 (mm) |
|--------------|--------|--------|-----------|-----------|-----|---------|---------|
| FCHMM-05     | 14     | 14     | M5        | M5        | 14  | 10      | 10      |




List Price: 22.50

### DMC Spacers Hexagonal Male-Female.

Material : DMC ROHS & REACH COMPLIANCE

Colour : White.

| Product Code | L (mm) | A/F | Thread H1 | Thread H2 | Dia. D | P1 (mm) | P2 (mm) |
|--------------|--------|-----|-----------|-----------|--------|---------|---------|
| FCHM-04      | 17     | 21  | M4        | M4        | 21mm   | 7       | 10      |
| FCHM-06      | 17     | 21  | M6        | M6        | 21mm   | 7       | 10      |



List Price: M4-17 : 22.50  
M6-17 : 27.00




### DMC Spacers Hexagonal Male-Female.

Material : DMC ROHS & REACH COMPLIANCE.

Colour : White.

| Product Code | L (mm) | A/F | Thread H1 | Thread H2 | Dia. D | P1 (mm) | P2 (mm) |
|--------------|--------|-----|-----------|-----------|--------|---------|---------|
| FCHFM-04     | 17     | 14  | M4        | M4        | 14     | 10      | 7       |
| FCHFM-08     | 26     | 14  | M8        | M8        | 14     | 10      | 7       |



List Price: M4-17 : 33.00  
M8-26 : 40.00



### PBT Insulated Spacers.

Product Type : CYLINDRICAL MALE FEMALE WITH HEX CENTRE



Material : PBT 30% GF UL Certified V0

Color : Grey RAL 7035 (Light Grey)

Threading Inserts: Brass Tin plated or M.S.Tin Plated.

#### M3 SERIES IN CIRCULAR WITH HEX. CENTRE

| Product Code. | List Price per pcs. | M | ØD  | J  | J2<br>Tol. +/-0.2 | J3<br>Tol. +/-0.2 |
|---------------|---------------------|---|-----|----|-------------------|-------------------|
| FCM3CH-015    | 16.50               | 3 | 6.8 | 15 | 7                 | 6                 |



#### M4 SERIES IN CIRCULAR WITH HEX. CENTRE

| Product Code. | List price per pcs | M | ØD   | J   | J2<br>Tol. +/-0.2 | J3<br>Tol. +/-0.2 |
|---------------|--------------------|---|------|-----|-------------------|-------------------|
| FCM4CH-015    | 18.00              | 4 | 10   | 15  | 7                 | 6                 |
| FCM4CH-020    | 22.50              | 4 | 10   | 20  | 7                 | 6                 |
| FCM4CH-025    | 27.00              | 4 | 10   | 25  | 7                 | 6                 |
| FCM4CH-123    | 59.00              | 6 | 14.5 | 123 | 7                 | 6                 |



### PBT Insulated Spacers.

Product Type : HEX MODEL MALE FEMALE.

Material : PBT 30% GF UL Certified V0


Color : Grey RAL 7035 (Light Grey)

Threading Inserts: Brass Tin plated or M.S.Tin Plated.



#### M6 SERIES WITH HEX. CENTRE

| Product Code. | List price per pcs | M | A/F | J  | J2<br>Tol. +/-0.2 | J3<br>Tol. +/-0.2 |
|---------------|--------------------|---|-----|----|-------------------|-------------------|
| FCM6H-020     | 24.00              | 6 | 13  | 20 | 8                 | 7                 |
| FCM6H-025     | 26.00              | 6 | 13  | 25 | 8                 | 7                 |
| FCM6H-030     | 28.00              | 6 | 13  | 30 | 8                 | 7                 |



### DMC Spacers Cylindrical Male-Male

Material : DMC ROHS & REACH COMPLIANCE.

Color : White.


| Product code | List price | L (mm) | Thread H1 | Thread H2 | Dia. D | P1 (mm) | P2 (mm) |
|--------------|------------|--------|-----------|-----------|--------|---------|---------|
| FCCMM-03     | 20.00      | 10     | M3        | M3        | 10.    | 10      | 9.5     |







## Nylon Molded Hexagonal Spacers




Nylon Molded Hexagonal Spacers

| Sr.No.               | Product code | List price | Thread | A/F | J  | J2  | J3  |
|----------------------|--------------|------------|--------|-----|----|-----|-----|
| <b>Male-Female</b>   |              |            |        |     |    |     |     |
| 1.                   | FCM3HMF-010  | 7.00       | M3     | 6   | 10 | 4.0 | 8.0 |
| 2.                   | FCM3HMF-012  | 7.00       | M3     | 6   | 12 | 4.0 | 8.0 |
| 3.                   | FCM3HMF-015  | 7.00       | M3     | 6   | 15 | 8.5 | 8.0 |
| 4.                   | FCM3HMF-020  | 7.00       | M3     | 6   | 20 | 8.5 | 8.0 |
| 5.                   | FCM3HMF-025  | 8.00       | M3     | 6   | 25 | 8.5 | 8.0 |
| 6.                   | FCM3HMF-030  | 8.00       | M3     | 6   | 30 | 8.5 | 8.0 |
| <b>Female-Female</b> |              |            |        |     |    |     |     |
| 1.                   | FCM3HFF-010  | 7.00       | M3     | 6   | 10 | 4.0 |     |
| 2.                   | FCM3HFF-012  | 7.00       | M3     | 6   | 12 | 4.0 |     |
| 3.                   | FCM3HFF-015  | 7.00       | M3     | 6   | 15 | 8.5 |     |
| 4.                   | FCM3HFF-020  | 7.00       | M3     | 6   | 20 | 8.5 |     |
| 5.                   | FCM3HFF-025  | 8.00       | M3     | 6   | 25 | 8.5 |     |
| 6.                   | FCM3HFF-030  | 9.00       | M3     | 6   | 30 | 8.5 |     |

| Sr.No.             | M  | Product code | List price | Thread | Product code       | List price | A/F | J  | J2  | J3  |
|--------------------|----|--------------|------------|--------|--------------------|------------|-----|----|-----|-----|
| <b>Male-Female</b> |    |              |            |        | <b>Male-Female</b> |            |     |    |     |     |
| 1.                 | M3 | FCM3HMF-010  | 7.00       | M4     | FCM4HMF-010        | 7.00       | 8   | 10 | 5.0 | 8.0 |
| 2.                 | M3 | FCM3HMF-012  | 7.00       | M4     | FCM4HMF-012        | 7.00       | 8   | 12 | 5.0 | 8.0 |
| 3.                 | M3 | FCM3HMF-015  | 7.00       | M4     | FCM4HMF-015        | 8.00       | 8   | 15 | 8.5 | 8.0 |
| 4.                 | M3 | FCM3HMF-020  | 8.00       | M4     | FCM4HMF-020        | 8.00       | 8   | 20 | 8.5 | 8.0 |
| 5.                 | M3 | FCM3HMF-025  | 8.00       | M4     | FCM4HMF-025        | 9.00       | 8   | 25 | 8.5 | 8.0 |
| 6.                 | M3 | FCM3HMF-030  | 8.00       | M4     | FCM4HMF-030        | 9.00       | 8   | 30 | 8.5 | 8.0 |
| 7.                 | M3 | FCM3HMF-035  | 9.00       | M4     | FCM4HMF-035        | 9.00       | 8   | 35 | 8.5 | 8.0 |
| 8.                 | M3 | FCM3HMF-040  | 9.00       | M4     | FCM4HMF-040        | 10.00      | 8   | 40 | 8.5 | 8.0 |
| 9.                 | M3 | FCM3HMF-045  | 9.00       | M4     | FCM4HMF-045        | 10.00      | 8   | 45 | 8.5 | 8.0 |
| 10.                | M3 | FCM3HMF-050  | 10.00      | M4     | FCM4HMF-050        | 10.00      | 8   | 50 | 8.5 | 8.0 |
| 11.                | M3 | FCM3HMF-055  | 10.00      | M4     | FCM4HMF-055        | 11.00      | 8   | 55 | 8.5 | 8.0 |
| 12.                | M3 | FCM3HMF-060  | 11.00      | M4     | FCM4HMF-060        | 12.00      | 8   | 60 | 8.5 | 8.0 |
| 13.                | M3 | FCM3HMF-065  | 11.00      | M4     | FCM4HMF-065        | 12.00      | 8   | 65 | 8.5 | 8.0 |
| 14.                | M3 | FCM3HMF-070  | 12.00      | M4     | FCM4HMF-070        | 12.00      | 8   | 70 | 8.5 | 8.0 |
| 15.                | M3 | FCM3HMF-075  | 12.00      | M4     | FCM4HMF-075        | 13.00      | 8   | 75 | 8.5 | 8.0 |
| 16.                | M3 | FCM3HMF-080  | 13.00      | M4     | FCM4HMF-080        | 13.00      | 8   | 80 | 8.5 | 8.0 |
| 17.                | M3 | FCM3HMF-085  | 14.00      | M4     | FCM4HMF-085        | 14.00      | 8   | 85 | 8.5 | 8.0 |

| Sr.No.               | Thread | Product code | List price | Thread               | Product code | List price | A/F | J  | J2  |
|----------------------|--------|--------------|------------|----------------------|--------------|------------|-----|----|-----|
| <b>Female-Female</b> |        |              |            | <b>Female-Female</b> |              |            |     |    |     |
| 1.                   | M3     | FCM3HFF-012  | 8.00       | M4                   | FCM4HFF-012  | 9.00       | 8   | 12 | 5.0 |
| 2.                   | M3     | FCM3HFF-015  | 8.00       | M4                   | FCM4HFF-015  | 9.00       | 8   | 15 | 8.5 |
| 3.                   | M3     | FCM3HFF-020  | 8.00       | M4                   | FCM4HFF-020  | 9.00       | 8   | 20 | 8.5 |
| 4.                   | M3     | FCM3HFF-025  | 9.00       | M4                   | FCM4HFF-025  | 10.00      | 8   | 25 | 8.5 |
| 5.                   | M3     | FCM3HFF-030  | 10.00      | M4                   | FCM4HFF-030  | 10.00      | 8   | 30 | 8.5 |
| 6.                   | M3     | FCM3HFF-035  | 10.00      | M4                   | FCM4HFF-035  | 11.00      | 8   | 35 | 8.5 |
| 7.                   | M3     | FCM3HFF-040  | 11.00      | M4                   | FCM4HFF-040  | 11.00      | 8   | 40 | 8.5 |
| 8.                   | M3     | FCM3HFF-045  | 11.00      | M4                   | FCM4HFF-045  | 11.00      | 8   | 45 | 8.5 |
| 9.                   | M3     | FCM3HFF-050  | 11.00      | M4                   | FCM4HFF-050  | 12.00      | 8   | 50 | 8.5 |
| 10.                  | M3     | FCM3HFF-055  | 12.00      | M4                   | FCM4HFF-055  | 12.00      | 8   | 55 | 8.5 |
| 11.                  | M3     | FCM3HFF-060  | 12.00      | M4                   | FCM4HFF-060  | 12.00      | 8   | 60 | 8.5 |
| 12.                  | M3     | FCM3HFF-065  | 12.00      | M4                   | FCM4HFF-065  | 13.00      | 8   | 65 | 8.5 |
| 13.                  | M3     | FCM3HFF-070  | 13.00      | M4                   | FCM4HFF-070  | 13.00      | 8   | 70 | 8.5 |
| 14.                  | M3     | FCM3HFF-075  | 13.00      | M4                   | FCM4HFF-075  | 14.00      | 8   | 75 | 8.5 |
| 15.                  | M3     | FCM3HFF-080  | 14.00      | M4                   | FCM4HFF-080  | 15.00      | 8   | 80 | 8.5 |
| 16.                  | M3     | FCM3HFF-085  | 15.00      | M4                   | FCM4HFF-085  | 16.00      | 8   | 85 | 8.5 |






Nylon Molded Hexagonal Spacers

| Sr.No. | Thread | Product code  | List price | Thread | Product code  | List price | A/F | J   | M4-J2 | M5-J2 |
|--------|--------|---------------|------------|--------|---------------|------------|-----|-----|-------|-------|
|        |        | Female-Female |            |        | Female-Female |            |     |     |       |       |
| 1.     | M4     | FCM4HFF-025   | 20.00      | M5     | FCM5HFF-025   | 20.00      | 12  | 25  | 8.5   | 10.5  |
| 2.     | M4     | FCM4HFF-030   | 22.00      | M5     | FCM5HFF-030   | 22.00      | 12  | 30  | 8.5   | 10.5  |
| 3.     | M4     | FCM4HFF-035   | 23.00      | M5     | FCM5HFF-035   | 23.00      | 12  | 35  | 8.5   | 10.5  |
| 4.     | M4     | FCM4HFF-040   | 24.00      | M5     | FCM5HFF-040   | 24.00      | 12  | 40  | 8.5   | 10.5  |
| 5.     | M4     | FCM4HFF-045   | 25.00      | M5     | FCM5HFF-045   | 25.00      | 12  | 45  | 8.5   | 10.5  |
| 6.     | M4     | FCM4HFF-050   | 28.00      | M5     | FCM5HFF-050   | 28.00      | 12  | 50  | 8.5   | 10.5  |
| 7.     | M4     | FCM4HFF-055   | 30.00      | M5     | FCM5HFF-055   | 30.00      | 12  | 55  | 8.5   | 10.5  |
| 8.     | M4     | FCM4HFF-060   | 30.00      | M5     | FCM5HFF-060   | 30.00      | 12  | 60  | 8.5   | 10.5  |
| 9.     | M4     | FCM4HFF-065   | 32.00      | M5     | FCM5HFF-065   | 32.00      | 12  | 65  | 8.5   | 10.5  |
| 10.    | M4     | FCM4HFF-070   | 33.00      | M5     | FCM5HFF-070   | 33.00      | 12  | 70  | 8.5   | 10.5  |
| 11.    | M4     | FCM4HFF-075   | 35.00      | M5     | FCM5HFF-075   | 35.00      | 12  | 75  | 8.5   | 10.5  |
| 12.    | M4     | FCM4HFF-080   | 37.00      | M5     | FCM5HFF-080   | 37.00      | 12  | 80  | 8.5   | 10.5  |
| 13.    | M4     | FCM4HFF-085   | 39.00      | M5     | FCM5HFF-085   | 39.00      | 12  | 85  | 8.5   | 10.5  |
| 14.    | M4     | FCM4HFF-090   | 40.00      | M5     | FCM5HFF-090   | 40.00      | 12  | 90  | 8.5   | 10.5  |
| 15.    | M4     | FCM4HFF-095   | 43.00      | M5     | FCM5HFF-095   | 43.00      | 12  | 95  | 8.5   | 10.5  |
| 16.    | M4     | FCM4HFF-100   | 44.00      | M5     | FCM5HFF-100   | 44.00      | 12  | 100 | 8.5   | 10.5  |
| 17.    | M4     | FCM4HFF-105   | 46.00      | M5     | FCM5HFF-105   | 46.00      | 12  | 105 | 8.5   | 10.5  |
| 18.    | M4     | FCM4HFF-110   | 48.00      | M5     | FCM5HFF-110   | 48.00      | 12  | 110 | 8.5   | 10.5  |

Nylon Molded Hexagonal Spacers

| Sr.No. | Thread | Product code | List price | Thread | Product code | List price | A/F | J   | M4-J2 | M5-J2 | M4-J3 | M5-J3 |
|--------|--------|--------------|------------|--------|--------------|------------|-----|-----|-------|-------|-------|-------|
|        |        | Male-Female  |            |        | Male-Female  |            |     |     |       |       |       |       |
| 1.     | M4     | FCM4HMF-020  | 19.00      | M5     | FCM5HMF-020  | 20.00      | 12  | 20  | 8.5   | 10.5  | 8.0   | 10.0  |
| 2.     | M4     | FCM4HMF-025  | 20.00      | M5     | FCM5HMF-025  | 22.00      | 12  | 25  | 8.5   | 10.5  | 8.0   | 10.0  |
| 3.     | M4     | FCM4HMF-030  | 21.00      | M5     | FCM5HMF-030  | 23.00      | 12  | 30  | 8.5   | 10.5  | 8.0   | 10.0  |
| 4.     | M4     | FCM4HMF-035  | 22.00      | M5     | FCM5HMF-035  | 24.00      | 12  | 35  | 8.5   | 10.5  | 8.0   | 10.0  |
| 5.     | M4     | FCM4HMF-040  | 23.00      | M5     | FCM5HMF-040  | 25.00      | 12  | 40  | 8.5   | 10.5  | 8.0   | 10.0  |
| 6.     | M4     | FCM4HMF-045  | 24.00      | M5     | FCM5HMF-045  | 26.00      | 12  | 45  | 8.5   | 10.5  | 8.0   | 10.0  |
| 7.     | M4     | FCM4HMF-050  | 26.00      | M5     | FCM5HMF-050  | 28.00      | 12  | 50  | 8.5   | 10.5  | 8.0   | 10.0  |
| 8.     | M4     | FCM4HMF-055  | 27.00      | M5     | FCM5HMF-055  | 30.00      | 12  | 55  | 8.5   | 10.5  | 8.0   | 10.0  |
| 9.     | M4     | FCM4HMF-060  | 29.00      | M5     | FCM5HMF-060  | 31.00      | 12  | 60  | 8.5   | 10.5  | 8.0   | 10.0  |
| 10.    | M4     | FCM4HMF-065  | 30.00      | M5     | FCM5HMF-065  | 33.00      | 12  | 65  | 8.5   | 10.5  | 8.0   | 10.0  |
| 11.    | M4     | FCM4HMF-070  | 33.00      | M5     | FCM5HMF-070  | 35.00      | 12  | 70  | 8.5   | 10.5  | 8.0   | 10.0  |
| 12.    | M4     | FCM4HMF-075  | 34.00      | M5     | FCM5HMF-075  | 37.00      | 12  | 75  | 8.5   | 10.5  | 8.0   | 10.0  |
| 13.    | M4     | FCM4HMF-080  | 36.00      | M5     | FCM5HMF-080  | 39.00      | 12  | 80  | 8.5   | 10.5  | 8.0   | 10.0  |
| 14.    | M4     | FCM4HMF-085  | 38.00      | M5     | FCM5HMF-085  | 40.00      | 12  | 85  | 8.5   | 10.5  | 8.0   | 10.0  |
| 15.    | M4     | FCM4HMF-090  | 40.00      | M5     | FCM5HMF-090  | 43.00      | 12  | 90  | 8.5   | 10.5  | 8.0   | 10.0  |
| 16.    | M4     | FCM4HMF-095  | 42.00      | M5     | FCM5HMF-095  | 44.00      | 12  | 95  | 8.5   | 10.5  | 8.0   | 10.0  |
| 17.    | M4     | FCM4HMF-100  | 43.00      | M5     | FCM5HMF-100  | 46.00      | 12  | 100 | 8.5   | 10.5  | 8.0   | 10.0  |
| 18.    | M4     | FCM4HMF-105  | 45.00      | M5     | FCM5HMF-105  | 48.00      | 12  | 105 | 8.5   | 10.5  | 8.0   | 10.0  |
| 19.    |        |              |            | M5     | FCM5HMF-110  | 50.00      | 12  | 110 |       | 10.5  |       |       |



#### Nylon Molded Hexagonal Spacers

| Sr.No. | Thread | Product code         | List price | Thread | Product code         | List price | Thread | Product code         | List price | A/F | J    | J2   | J3   |
|--------|--------|----------------------|------------|--------|----------------------|------------|--------|----------------------|------------|-----|------|------|------|
|        |        | <b>Female-Female</b> |            |        | <b>Female-Female</b> |            |        | <b>Female-Female</b> |            |     |      |      |      |
| 1.     | M4     | FCM4HFF-025          | 28.00      | M5     | FCM5HFF-025          | 30.00      | M6     | FCM6HFF-025          | 32.00      | 20  | 25.0 | 10.5 |      |
| 2.     | M4     | FCM4HFF-030          | 29.00      | M5     | FCM5HFF-030          | 32.00      | M6     | FCM6HFF-030          | 34.00      | 20  | 30.0 | 10.5 |      |
| 3.     | M4     | FCM4HFF-035          | 31.00      | M5     | FCM5HFF-035          | 33.00      | M6     | FCM6HFF-035          | 36.00      | 20  | 35.0 | 10.5 |      |
| 4.     | M4     | FCM4HFF-040          | 33.00      | M5     | FCM5HFF-040          | 34.00      | M6     | FCM6HFF-040          | 38.00      | 20  | 40.0 | 10.5 |      |
| 5.     | M4     | FCM4HFF-045          | 34.00      | M5     | FCM5HFF-045          | 36.00      | M6     | FCM6HFF-045          | 40.00      | 20  | 45.0 | 10.5 |      |
| 6.     | M4     | FCM4HFF-050          | 36.00      | M5     | FCM5HFF-050          | 38.00      | M6     | FCM6HFF-050          | 41.00      | 20  | 50.0 | 10.5 |      |
|        |        | <b>Male-Female</b>   |            |        | <b>Male-Female</b>   |            |        | <b>Male-Female</b>   |            |     |      |      |      |
| 7.     | M4     | FCM4HMF-020          | 25.00      | M5     | FCM5HMF-020          | 27.00      | M6     | FCM6HMF-020          | 28.00      | 20  | 20.0 | 10.5 | 10.0 |
| 8.     | M4     | FCM4HMF-025          | 26.00      | M5     | FCM5HMF-025          | 28.00      | M6     | FCM6HMF-025          | 30.00      | 20  | 25.0 | 10.5 | 10.0 |
| 9.     | M4     | FCM4HMF-030          | 28.00      | M5     | FCM5HMF-030          | 30.00      | M6     | FCM6HMF-030          | 31.00      | 20  | 30.0 | 10.5 | 10.0 |
| 10.    | M4     | FCM4HMF-035          | 29.00      | M5     | FCM5HMF-035          | 32.00      | M6     | FCM6HMF-035          | 32.00      | 20  | 35.0 | 10.5 | 10.0 |
| 11.    | M4     | FCM4HMF-040          | 30.00      | M5     | FCM5HMF-040          | 34.00      | M6     | FCM6HMF-040          | 34.00      | 20  | 40.0 | 10.5 | 10.0 |
| 12.    | M4     | FCM4HMF-045          | 32.00      | M5     | FCM5HMF-045          | 36.00      | M6     | FCM6HMF-045          | 36.00      | 20  | 45.0 | 10.5 | 10.0 |
| 13.    | M4     | FCM4HMF-050          | 34.00      | M5     | FCM5HMF-050          | 40.00      | M6     | FCM6HMF-050          | 38.00      | 20  | 50.0 | 10.5 | 10.0 |
| 14.    | M4     | FCM4HMF-060          | 38.00      | M5     | FCM5HMF-060          | 40.00      | M6     | FCM6HMF-060          | 42.00      | 20  | 60.0 | 10.5 | 10.0 |
|        |        | <b>Male-Male</b>     |            |        | <b>Male-Male</b>     |            |        | <b>Male-Male</b>     |            |     |      |      |      |
| 15.    | M4     | FCM4HMM-020          | 25.00      | M5     | FCM5HMM-020          | 27.00      | M6     | FCM6HMM-020          | 28.00      | 20  | 20.0 |      | 10.0 |
| 16.    | M4     | FCM4HMM-025          | 26.00      | M5     | FCM5HMM-025          | 28.00      | M6     | FCM6HMM-025          | 30.00      | 20  | 25.0 |      | 10.0 |
| 17.    | M4     | FCM4HMM-030          | 28.00      | M5     | FCM5HMM-030          | 30.00      | M6     | FCM6HMM-030          | 31.00      | 20  | 30.0 |      | 10.0 |
| 18.    | M4     | FCM4HMM-035          | 29.00      | M5     | FCM5HMM-035          | 30.00      | M6     | FCM6HMM-035          | 32.00      | 20  | 35.0 |      | 10.0 |
| 19.    | M4     | FCM4HMM-040          | 30.00      | M5     | FCM5HMM-040          | 32.00      | M6     | FCM6HMM-040          | 34.00      | 20  | 40.0 |      | 10.0 |
| 20.    | M4     | FCM4HMM-045          | 32.00      | M5     | FCM5HMM-045          | 34.00      | M6     | FCM6HMM-045          | 36.00      | 20  | 45.0 |      | 10.0 |
| 21.    | M4     | FCM4HMM-050          | 34.00      | M5     | FCM5HMM-050          | 36.00      | M6     | FCM6HMM-050          | 38.00      | 20  | 50.0 |      | 10.0 |
| 22.    | M4     | FCM4HMM-060          | 38.00      | M5     | FCM5HMM-060          | 40.00      | M6     | FCM6HMM-060          | 42.00      | 20  | 60.0 |      | 10.0 |

| Sr.No. | Thread | Product code         | List price | Thread | Product code         | List price | Thread | Product code         | List price | A/F | J    | J2   | J3   |
|--------|--------|----------------------|------------|--------|----------------------|------------|--------|----------------------|------------|-----|------|------|------|
|        |        | <b>Female-Female</b> |            |        | <b>Female-Female</b> |            |        | <b>Female-Female</b> |            |     |      |      |      |
| 1.     | M4     | FCM4HFF-025          | 35.00      | M5     | FCM5HFF-025          | 38.00      | M6     | FCM6HFF-025          | 40.00      | 25  | 25.0 | 10.5 |      |
| 2.     | M4     | FCM4HFF-030          | 37.00      | M5     | FCM5HFF-030          | 40.00      | M6     | FCM6HFF-030          | 44.00      | 25  | 30.0 | 10.5 |      |
| 3.     | M4     | FCM4HFF-035          | 40.00      | M5     | FCM5HFF-035          | 43.00      | M6     | FCM6HFF-035          | 45.00      | 25  | 35.0 | 10.5 |      |
| 4.     | M4     | FCM4HFF-040          | 43.00      | M5     | FCM5HFF-040          | 45.00      | M6     | FCM6HFF-040          | 48.00      | 25  | 40.0 | 10.5 |      |
| 5.     | M4     | FCM4HFF-045          | 44.00      | M5     | FCM5HFF-045          | 48.00      | M6     | FCM6HFF-045          | 52.00      | 25  | 45.0 | 10.5 |      |
| 6.     | M4     | FCM4HFF-050          | 48.00      | M5     | FCM5HFF-050          | 52.00      | M6     | FCM6HFF-050          | 56.00      | 25  | 50.0 | 10.5 |      |
| 7.     | M4     | FCM4HFF-055          | 50.00      | M5     | FCM5HFF-055          | 55.00      | M6     | FCM6HFF-055          | 60.00      | 25  | 55.0 | 10.5 |      |
|        |        | <b>Male-Female</b>   |            |        | <b>Male-Female</b>   |            |        | <b>Male-Female</b>   |            |     |      |      |      |
| 8.     | M4     | FCM4HMF-025          | 33.00      | M5     | FCM5HMF-025          | 35.00      | M6     | FCM6HMF-025          | 37.00      | 25  | 25.0 | 10.5 | 10.0 |
| 9.     | M4     | FCM4HMF-030          | 35.00      | M5     | FCM5HMF-030          | 38.00      | M6     | FCM6HMF-030          | 40.00      | 25  | 30.0 | 10.5 | 10.0 |
| 10.    | M4     | FCM4HMF-035          | 38.00      | M5     | FCM5HMF-035          | 42.00      | M6     | FCM6HMF-035          | 43.00      | 25  | 35.0 | 10.5 | 10.0 |
| 11.    | M4     | FCM4HMF-040          | 41.00      | M5     | FCM5HMF-040          | 44.00      | M6     | FCM6HMF-040          | 45.00      | 25  | 40.0 | 10.5 | 10.0 |
| 12.    | M4     | FCM4HMF-045          | 44.00      | M5     | FCM5HMF-045          | 48.00      | M6     | FCM6HMF-045          | 50.00      | 25  | 45.0 | 10.5 | 10.0 |
| 13.    | M4     | FCM4HMF-050          | 48.00      | M5     | FCM5HMF-050          | 50.00      | M6     | FCM6HMF-050          | 54.00      | 25  | 50.0 | 10.5 | 10.0 |
|        |        | <b>Male-Male</b>     |            |        | <b>Male-Male</b>     |            |        | <b>Male-Male</b>     |            |     |      |      |      |
| 14.    | M4     | FCM4HMM-025          | 33.00      | M5     | FCM5HMM-025          | 35.00      | M6     | FCM6HMM-025          | 37.00      | 25  | 25.0 |      | 10.0 |
| 15.    | M4     | FCM4HMM-030          | 35.00      | M5     | FCM5HMM-030          | 38.00      | M6     | FCM6HMM-030          | 40.00      | 25  | 30.0 |      | 10.0 |
| 16.    | M4     | FCM4HMM-035          | 38.00      | M5     | FCM5HMM-035          | 42.00      | M6     | FCM6HMM-035          | 43.00      | 25  | 35.0 |      | 10.0 |
| 17.    | M4     | FCM4HMM-040          | 41.00      | M5     | FCM5HMM-040          | 44.00      | M6     | FCM6HMM-040          | 45.00      | 25  | 40.0 |      | 10.0 |
| 18.    | M4     | FCM4HMM-045          | 44.00      | M5     | FCM5HMM-045          | 48.00      | M6     | FCM6HMM-045          | 50.00      | 25  | 45.0 |      | 10.0 |
| 19.    | M4     | FCM4HMM-050          | 48.00      | M5     | FCM5HMM-050          | 50.00      | M6     | FCM6HMM-050          | 54.00      | 25  | 50.0 |      | 10.0 |

### Plastic Dust Protection Cap.

Material :- Virgin LDPE

Color :- Red

Plastic Dust Caps are mainly used in Hydraulic and Pneumatic Industry.



| Sr. No. | Size Male/Female |            |       |        |       |
|---------|------------------|------------|-------|--------|-------|
|         | MM               |            | BSP   | UNF    | NPT   |
| 1.      | M8x1             | M22x1.5x35 | 1/8   | 7/16   | 1/8   |
| 2.      | M10x1            | M24x1.5    | 1/4   | 1/2    | 1/4   |
| 3.      | M10x1.5          | M26x1.5    | 3/8   | 9/16   | 3/8   |
| 4.      | M12x1            | M30x1.5    | 1/2   | 3/4    | 1/2   |
| 5.      | M12x1.5          | M30x2      | 5/8   | 7/8    | 3/4   |
| 6.      | M14x1.5          | M35x1.5    | 3/4   | 11/16  | 1     |
| 7.      | M16x1.5          | M36x1.5    | 1     | 1 5/16 | 1 1/4 |
| 8.      | M18x1.5          | M36x2      | 1 1/4 |        | 1 1/2 |
| 9.      | M20x1.5          | M45x2      | 1 1/2 |        |       |
| 10.     | M22x1.5          | M52x2      | 2     |        |       |
| 11.     |                  |            | 2 1/2 |        |       |

### Nylon Soft Blow Hammer

Material :- Toughened Nylon 6

Spare Tips available seperately.

| Product Code. | Hammer Size |        | Prices Per Nos. |        |
|---------------|-------------|--------|-----------------|--------|
|               | mm          | Inches | Hammer          | Tips   |
| FCSBH-01      | 25          | 1      | 441.00          | 33.00  |
| FCSBH-02      | 32          | 1 1/4  | 500.00          | 40.00  |
| FCSBH-03      | 38          | 1 1/2  | 604.00          | 57.00  |
| FCSBH-04      | 45          | 1 3/4  | 741.00          | 82.00  |
| FCSBH-05      | 50          | 2      | 957.00          | 127.00 |





## DYLO GRIP Brand Rawal Plug


Material :- HD Polymer.

Colour :- Grey & White.

Pull Load Tested.

### HDPE MATERIAL-GREY COLOUR-OPEN TYPE

| Sr. No. | Item No. | List price per 100 Nos | Length | Drill Size |      | Punch | Screw size |
|---------|----------|------------------------|--------|------------|------|-------|------------|
|         |          |                        |        | mm         | Inch |       |            |
| 1.      | DG-8x25  | 19.00                  | 25 mm  | 4.7        | 3/16 | 8 No. | 6/8        |
| 2.      | DG-10x30 | 24.00                  | 25 mm  | 6.3        | 1/4  | 10No. | 8/10       |
| 3.      | DG-10x45 | 38.00                  | 45 mm  | 6.3        | 1/4  | 10No. | 8/10       |
| 4.      | DG-12x50 | 78.00                  | 45 mm  | 7.9        | 5/16 | 10No. | 10/12      |
| 5.      | DG-14x50 | 112.00                 | 50 mm  | 7.9        | 5/16 | 10No. | 10/12      |
| 6.      | DG-14x80 | 235.00                 | 80 mm  | 12.7       | 1/2  | 12No. | 14         |



### HDPE MATERIAL-WHITE COLOUR-ROUND HEAD TYPE.

| Sr. No. | Item No. | List price per 100 Nos | Length | Drill Size |      | Punch | Screw size |
|---------|----------|------------------------|--------|------------|------|-------|------------|
|         |          |                        |        | mm         | Inch |       |            |
| 1.      | GT-8x25  | 33.00                  | 25 mm  | 4.7        | 3/16 | 8 No. | 6/8        |
| 2.      | GT-10x30 | 46.00                  | 25 mm  | 6.3        | 1/4  | 10No. | 8/10       |
| 3.      | GT-10x45 | 68.00                  | 45 mm  | 6.3        | 1/4  | 10No. | 8/10       |
| 4.      | GT-12x50 | 118.00                 | 45 mm  | 7.9        | 5/16 | 10No. | 10/12      |
| 5.      | GT-14x50 | 184.00                 | 50 mm  | 7.9        | 5/16 | 10No. | 10/12      |
| 6.      | GT-14x80 | 295.00                 | 80 mm  | 12.7       | 1/2  | 12No. | 14         |



### HDPE MATERIAL-LIGHT GREY COLOUR-RAL 7025-MFS TYPE

| Sr. No. | Item No. | List price per 100 Nos | Length | Drill Size |      | Punch | Screw size |
|---------|----------|------------------------|--------|------------|------|-------|------------|
|         |          |                        |        | mm         | Inch |       |            |
| 1.      | FCMFS-8  | 36.00                  | 25 mm  | 4.7        | 3/16 | 8No.  | 6/8        |
| 2.      | FCMFS-10 | 44.00                  | 25 mm  | 6.3        | 1/4  | 10No. | 8/10       |
| 3.      | FCMFS-14 | 156.00                 | 50 mm  | 7.9        | 5/16 | 10No. | 10/12      |



### NYLON MATERIAL - RED/BLACK COLOUR

| Sr. No. | Item No.  | List price per 100 Nos | Length | Drill Size |      | Punch | Screw size |
|---------|-----------|------------------------|--------|------------|------|-------|------------|
|         |           |                        |        | mm         | Inch |       |            |
| 1.      | FCNA-8x60 | 350.00                 | 60 mm  | 7.9        | 5/16 | 10No. | 10/12      |



### WIRE FIXING NAIL CLIP

Product Code: FCNCW -02-6mm

FCNCW -03-8mm

Material :- PP/MS

Flu-con Nail clip are versatile and can be used for fixing of 6/8 mm wire to wooden or masonry structures. They are easy to use and can be used in most environment conditions.

**List price : Rs.60/- With wooden nail  
Rs.90/- With Hardened nail.**











**FLEXIBLE CABLE GLANDS**



**CONTROL PANEL ACCESSORIES**



**POLYAMIDE TOUGHENED  
CONDUIT PIPES**



**NEUTRAL LINK & BASES**




**PVC / RUBBER GROMMETS &  
CLOSURES**



**STAINLESS STEEL  
CABLE FASTENERS**




**SECURITY SEALS**



**INSULATED COMB BUS BAR**



**METER INSPECTION  
WINDOW GLASS**



**SPACERS**




**HOLE BLANKING PLUG**



**FLEXIBLE CONDUIT PIPE GLANDS**




**NYLON FACED SOFT BLOW  
HAMMERS**



**DYLO-GRIP BRAND  
PVC RAWAL PLUG**



**NEUTRAL BREAKS & CONNECTORS**



**PLASTIC DUST CAPS**




**CABLE TIES**



**DYLO-GRIP BRAND  
PVC RAWAL PLUG**

[www.fluconenterprises.com](http://www.fluconenterprises.com)  
[www.flucon.co.in](http://www.flucon.co.in)



## WE MANUFACTURE :

- CABLE ACCESSORIES.
- CONTROL PANEL ACCESSORIES.
- CONSTRUCTION HARDWARE.
- CUSTOMIZED INDUSTRIAL PLASTIC PRODUCTS.



**flu-con<sup>®</sup> components pvt. ltd.**

Plot No.A-112, M I D C Phase -I, Road No.5 & 7,  
Dombivli (East), Thane-421 203.

Tel : +91-251-2470121/+91-7666789225,+91-7498883299, +91-9323318780.

Skype Calling : flucon1

[www.fluconenterprises.com/www.flucon.co.in](http://www.fluconenterprises.com/www.flucon.co.in)

E mail: [fluconenterprises@gmail.com](mailto:fluconenterprises@gmail.com), [dylan@flucon.co.in](mailto:dylan@flucon.co.in)

### **SALES DIVISION**

**Mob:+91-7666914987**

**+91-9004630767**

**E-mail: [sales@flucon.co.in](mailto:sales@flucon.co.in)  
[fluconsales@gmail.com](mailto:fluconsales@gmail.com).**

**AUTHORISED DISTRIBUTOR / DEALER**

